



Highland Tank

Tank Gauge Charts

unmatched quality & service

Please visit us at www.highlandtank.com
for product information and installation instructions

**Important Reminder - Please remember to
check for and remove any accumulated water
from the bottom of the tank on a regular basis**

Contents



Basement Oil Storage Tanks

Vertical

| | |
|---|---|
| 137 - 27" x 44 $\frac{1}{4}$ " x 30" | 2 |
| 230 - 22" x 44 $\frac{1}{4}$ " x 60" | 2 |
| 275 - 27" x 44 $\frac{1}{4}$ " x 60" | 3 |
| 330 - 27" x 44 $\frac{1}{4}$ " x 72" | 3 |

Horizontal

| | |
|---|---|
| 137 - 44 $\frac{1}{4}$ " x 27" x 30" | 4 |
| 230 - 44 $\frac{1}{4}$ " x 22" x 60" | 4 |
| 275 - 44 $\frac{1}{4}$ " x 27" x 60" | 5 |
| 330 - 44 $\frac{1}{4}$ " x 27" x 72" | 5 |

Bench Top Tanks

| | |
|------------------------------------|---|
| 180 - 60" x 22" x 33" | 6 |
| 280 - 60" x 30" x 36" | 6 |
| 350 - 60" x 42" x 33" | 7 |
| 500 - 72" x 50" x 33" | 7 |

Hopper Series

| | |
|---------------------------------|----|
| 120 - 30" x 40" | 8 |
| 185 - 38" x 40" | 8 |
| 285 - 46" x 40" | 9 |
| 500 - 62" x 40" | 9 |
| 1,000 - 84" x 42" | 10 |
| 2,000 - 108" x 51" | 11 |

Indoor Vertical Tanks

| | |
|------------------------------|----|
| 128 - 28" x 48" | 12 |
| 160 - 28" x 60" | 13 |
| 192 - 28" x 72" | 14 |



Horizontal Tanks

| | |
|------------------------------------|----|
| 240 - 38" x 4'0" | 15 |
| 300 - 38" x 5'0" | 15 |
| 500 - 48" x 5'5" | 16 |
| 1,000 - 48" x 10'9" | 17 |
| 1,000 - 64" x 6'0" | 18 |
| 1,500 - 64" x 9'0" | 19 |
| 2,000 - 64" x 12'0" | 20 |
| 2,500 - 64" x 15'0" | 21 |
| 3,000 - 64" x 18'0" | 22 |
| 4,000 - 64" x 24'0" | 23 |
| 4,000 - 72" x 19'0" | 24 |
| 4,000 - 96" x 10'6" | 25 |
| 5,000 - 96" x 13'4" | 26 |
| 5,000 - 72" x 23'10" | 27 |
| 6,000 - 96" x 16'0" | 28 |
| 6,000 - 72" x 28'8" | 29 |
| 8,000 - 120" x 14'0" | 30 |
| 8,000 - 96" x 21'4" | 31 |
| 10,000 - 120" x 17'0" | 32 |
| 10,000 - 96" x 26'8" | 33 |
| 12,000 - 120" x 20'6" | 34 |
| 12,000 - 96" x 32'0" | 35 |
| 15,000 - 120" x 25'6" | 36 |
| 15,000 - 96" x 40'0" | 37 |
| 20,000 - 120" x 34'0" | 38 |
| 20,000 - 126" x 31'0" | 39 |
| 25,000 - 126" x 38'9" | 40 |
| 30,000 - 126" x 46'6" | 41 |
| 40,000 - 144" x 47'6" | 42 |
| 50,000 - 144" x 59'6" | 43 |

137 Gallon Capacity

27" x 44 $\frac{1}{4}$ " x 30"

Basement Oil Storage/Vertical



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 1 | 16 | 46 | 31 | 99 |
| 2 | 3 | 17 | 50 | 32 | 102 |
| 3 | 5 | 18 | 53 | 33 | 106 |
| 4 | 7 | 19 | 57 | 34 | 109 |
| 5 | 10 | 20 | 60 | 35 | 112 |
| 6 | 12 | 21 | 64 | 36 | 116 |
| 7 | 15 | 22 | 67 | 37 | 118 |
| 8 | 18 | 23 | 71 | 38 | 122 |
| 9 | 22 | 24 | 74 | 39 | 125 |
| 10 | 25 | 25 | 78 | 40 | 127 |
| 11 | 29 | 26 | 81 | 41 | 130 |
| 12 | 32 | 27 | 85 | 42 | 132 |
| 13 | 35 | 28 | 88 | 43 | 134 |
| 14 | 39 | 29 | 92 | 44 | 135 |

230 Gallon Capacity

22" x 44 $\frac{1}{4}$ " x 60"

Basement Oil Storage/Vertical

| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 2 | 16 | 78 | 31 | 164 |
| 2 | 5 | 17 | 84 | 32 | 169 |
| 3 | 8 | 18 | 89 | 33 | 175 |
| 4 | 12 | 19 | 95 | 34 | 181 |
| 5 | 17 | 20 | 101 | 35 | 187 |
| 6 | 22 | 21 | 107 | 36 | 192 |
| 7 | 27 | 22 | 112 | 37 | 198 |
| 8 | 32 | 23 | 118 | 38 | 203 |
| 9 | 38 | 24 | 124 | 39 | 208 |
| 10 | 44 | 25 | 129 | 40 | 213 |
| 11 | 49 | 26 | 135 | 41 | 217 |
| 12 | 55 | 27 | 141 | 42 | 221 |
| 13 | 61 | 28 | 147 | 43 | 224 |
| 14 | 67 | 29 | 152 | 44 | 226 |

275 Gallon Capacity

27" x 44 $\frac{1}{4}$ " x 60"

Basement Oil Storage/Vertical



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 2 | 16 | 94 | 31 | 200 |
| 2 | 5 | 17 | 101 | 32 | 207 |
| 3 | 9 | 18 | 108 | 33 | 214 |
| 4 | 14 | 19 | 115 | 34 | 221 |
| 5 | 19 | 20 | 122 | 35 | 228 |
| 6 | 25 | 21 | 129 | 36 | 235 |
| 7 | 31 | 22 | 136 | 37 | 242 |
| 8 | 38 | 23 | 143 | 38 | 248 |
| 9 | 44 | 24 | 151 | 39 | 254 |
| 10 | 51 | 25 | 158 | 40 | 259 |
| 11 | 58 | 26 | 165 | 41 | 264 |
| 12 | 65 | 27 | 172 | 42 | 268 |
| 13 | 72 | 28 | 179 | 43 | 271 |
| 14 | 79 | 29 | 186 | 44 | 275 |

330 Gallon Capacity

27" x 44 $\frac{1}{4}$ " x 72"

Basement Oil Storage/Vertical

| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 3 | 16 | 110 | 31 | 237 |
| 2 | 6 | 17 | 119 | 32 | 245 |
| 3 | 11 | 18 | 127 | 33 | 253 |
| 4 | 17 | 19 | 136 | 34 | 262 |
| 5 | 23 | 20 | 144 | 35 | 270 |
| 6 | 30 | 21 | 152 | 36 | 278 |
| 7 | 37 | 22 | 161 | 37 | 285 |
| 8 | 44 | 23 | 169 | 38 | 292 |
| 9 | 52 | 24 | 178 | 39 | 299 |
| 10 | 60 | 25 | 186 | 40 | 306 |
| 11 | 68 | 26 | 194 | 41 | 311 |
| 12 | 77 | 27 | 203 | 42 | 317 |
| 13 | 85 | 28 | 211 | 43 | 320 |
| 14 | 93 | 29 | 220 | 44 | 325 |

137 Gallon Capacity

44 $\frac{1}{4}$ " x 27" x 30"

Basement Oil Storage/Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 3 | 11 | 53 | 21 | 109 |
| 2 | 7 | 12 | 59 | 22 | 114 |
| 3 | 11 | 13 | 65 | 23 | 119 |
| 4 | 16 | 14 | 70 | 24 | 124 |
| 5 | 21 | 15 | 76 | 25 | 128 |
| 6 | 26 | 16 | 82 | 26 | 132 |
| 7 | 31 | 17 | 87 | 27 | 136 |
| 8 | 36 | 18 | 93 | | |
| 9 | 42 | 19 | 99 | | |
| 10 | 47 | 20 | 104 | | |

230 Gallon Capacity

44 $\frac{1}{4}$ " x 22" x 60"

Basement Oil Storage/Horizontal

| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 7 | 11 | 113 | 21 | 219 |
| 2 | 16 | 12 | 124 | 22 | 226 |
| 3 | 25 | 13 | 136 | | |
| 4 | 35 | 14 | 147 | | |
| 5 | 46 | 15 | 158 | | |
| 6 | 57 | 16 | 169 | | |
| 7 | 67 | 17 | 180 | | |
| 8 | 78 | 18 | 191 | | |
| 9 | 90 | 19 | 200 | | |
| 10 | 102 | 20 | 210 | | |

275 Gallon Capacity

44 $\frac{1}{4}$ " x 27" x 60"

Basement Oil Storage/Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 7 | 11 | 109 | 21 | 222 |
| 2 | 14 | 12 | 120 | 22 | 233 |
| 3 | 23 | 13 | 132 | 23 | 243 |
| 4 | 32 | 14 | 143 | 24 | 252 |
| 5 | 42 | 15 | 155 | 25 | 261 |
| 6 | 53 | 16 | 166 | 26 | 268 |
| 7 | 63 | 17 | 178 | 27 | 275 |
| 8 | 75 | 18 | 189 | | |
| 9 | 86 | 19 | 200 | | |
| 10 | 97 | 20 | 212 | | |

330 Gallon Capacity

44 $\frac{1}{4}$ " x 27" x 72"

Basement Oil Storage/Horizontal

| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 8 | 11 | 127 | 21 | 261 |
| 2 | 17 | 12 | 141 | 22 | 274 |
| 3 | 27 | 13 | 154 | 23 | 286 |
| 4 | 38 | 14 | 169 | 24 | 297 |
| 5 | 50 | 15 | 182 | 25 | 307 |
| 6 | 62 | 16 | 196 | 26 | 316 |
| 7 | 74 | 17 | 211 | 27 | 324 |
| 8 | 87 | 18 | 223 | | |
| 9 | 101 | 19 | 236 | | |
| 10 | 114 | 20 | 249 | | |

180 Gallon Capacity

60" x 22" x 33"

Bench Top



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 6 | 16 | 91 | 31 | 177 |
| 2 | 12 | 17 | 97 | 32 | 183 |
| 3 | 17 | 18 | 103 | 33 | 189 |
| 4 | 23 | 19 | 109 | | |
| 5 | 29 | 20 | 114 | | |
| 6 | 34 | 21 | 120 | | |
| 7 | 40 | 22 | 126 | | |
| 8 | 46 | 23 | 131 | | |
| 9 | 51 | 24 | 137 | | |
| 10 | 57 | 25 | 143 | | |
| 11 | 63 | 26 | 149 | | |
| 12 | 69 | 27 | 154 | | |
| 13 | 74 | 28 | 160 | | |
| 14 | 80 | 29 | 166 | | |
| 15 | 86 | 30 | 171 | | |

280 Gallon Capacity

60" x 30" x 36"

Bench Top

| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 8 | 16 | 125 | 31 | 242 |
| 2 | 16 | 17 | 133 | 32 | 249 |
| 3 | 23 | 18 | 140 | 33 | 257 |
| 4 | 31 | 19 | 148 | 34 | 265 |
| 5 | 39 | 20 | 156 | 35 | 273 |
| 6 | 47 | 21 | 164 | 36 | 281 |
| 7 | 55 | 22 | 171 | | |
| 8 | 62 | 23 | 179 | | |
| 9 | 70 | 24 | 187 | | |
| 10 | 78 | 25 | 195 | | |
| 11 | 86 | 26 | 203 | | |
| 12 | 94 | 27 | 210 | | |
| 13 | 101 | 28 | 218 | | |
| 14 | 109 | 29 | 226 | | |
| 15 | 117 | 30 | 234 | | |

350 Gallon Capacity

60" x 42" x 33"

Bench Top



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 11 | 16 | 175 | 31 | 338 |
| 2 | 22 | 17 | 185 | 32 | 349 |
| 3 | 33 | 18 | 196 | 33 | 60 |
| 4 | 44 | 19 | 207 | | |
| 5 | 55 | 20 | 218 | | |
| 6 | 66 | 21 | 229 | | |
| 7 | 77 | 22 | 240 | | |
| 8 | 87 | 23 | 251 | | |
| 9 | 98 | 24 | 262 | | |
| 10 | 109 | 25 | 273 | | |
| 11 | 120 | 26 | 284 | | |
| 12 | 131 | 27 | 295 | | |
| 13 | 142 | 28 | 305 | | |
| 14 | 153 | 29 | 316 | | |
| 15 | 164 | 30 | 327 | | |

500 Gallon Capacity

72" x 50" x 33"

Bench Top

| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 16 | 16 | 249 | 31 | 483 |
| 2 | 31 | 17 | 265 | 32 | 499 |
| 3 | 49 | 18 | 281 | 33 | 514 |
| 4 | 62 | 19 | 296 | | |
| 5 | 78 | 20 | 312 | | |
| 6 | 94 | 21 | 327 | | |
| 7 | 109 | 22 | 343 | | |
| 8 | 125 | 23 | 358 | | |
| 9 | 140 | 24 | 374 | | |
| 10 | 156 | 25 | 390 | | |
| 11 | 171 | 26 | 405 | | |
| 12 | 187 | 27 | 421 | | |
| 13 | 202 | 28 | 436 | | |
| 14 | 218 | 29 | 452 | | |
| 15 | 234 | 30 | 468 | | |

120 Gallon Capacity

30" x 40"

Hopper Series



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 3 | 16 | 49 | 31 | 95 |
| 2 | 6 | 17 | 52 | 32 | 98 |
| 3 | 9 | 18 | 55 | 33 | 101 |
| 4 | 12 | 19 | 58 | 34 | 104 |
| 5 | 15 | 20 | 61 | 35 | 107 |
| 6 | 18 | 21 | 64 | 36 | 110 |
| 7 | 21 | 22 | 67 | 37 | 113 |
| 8 | 25 | 23 | 70 | 38 | 116 |
| 9 | 28 | 24 | 73 | 39 | 119 |
| 10 | 31 | 25 | 77 | 40 | 122 |
| 11 | 34 | 26 | 80 | | |
| 12 | 37 | 27 | 83 | | |
| 13 | 40 | 28 | 86 | | |
| 14 | 43 | 29 | 89 | | |

185 Gallon Capacity

38" x 40"

Hopper Series

| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 5 | 16 | 79 | 31 | 152 |
| 2 | 10 | 17 | 84 | 32 | 157 |
| 3 | 15 | 18 | 88 | 33 | 162 |
| 4 | 20 | 19 | 93 | 34 | 167 |
| 5 | 25 | 20 | 98 | 35 | 172 |
| 6 | 30 | 21 | 103 | 36 | 177 |
| 7 | 34 | 22 | 108 | 37 | 182 |
| 8 | 39 | 23 | 113 | 38 | 187 |
| 9 | 44 | 24 | 118 | 39 | 192 |
| 10 | 50 | 25 | 123 | 40 | 196 |
| 11 | 54 | 26 | 128 | | |
| 12 | 59 | 27 | 133 | | |
| 13 | 64 | 28 | 138 | | |
| 14 | 69 | 29 | 142 | | |

285 Gallon Capacity

46" x 40"

Hopper Series



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 7 | 16 | 115 | 31 | 223 |
| 2 | 14 | 17 | 122 | 32 | 230 |
| 3 | 22 | 18 | 130 | 33 | 237 |
| 4 | 29 | 19 | 137 | 34 | 245 |
| 5 | 36 | 20 | 144 | 35 | 252 |
| 6 | 43 | 21 | 151 | 36 | 259 |
| 7 | 50 | 22 | 158 | 37 | 266 |
| 8 | 58 | 23 | 166 | 38 | 273 |
| 9 | 65 | 24 | 173 | 39 | 281 |
| 10 | 72 | 25 | 180 | 40 | 288 |
| 11 | 79 | 26 | 187 | | |
| 12 | 86 | 27 | 194 | | |
| 13 | 94 | 28 | 201 | | |
| 14 | 101 | 29 | 209 | | |

500 Gallon Capacity

62" x 40"

Hopper Series

| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 13 | 16 | 209 | 31 | 405 |
| 2 | 26 | 17 | 222 | 32 | 418 |
| 3 | 39 | 18 | 235 | 33 | 431 |
| 4 | 52 | 19 | 248 | 34 | 444 |
| 5 | 65 | 20 | 261 | 35 | 457 |
| 6 | 78 | 21 | 274 | 36 | 471 |
| 7 | 92 | 22 | 288 | 37 | 484 |
| 8 | 105 | 23 | 301 | 38 | 497 |
| 9 | 118 | 24 | 314 | 39 | 510 |
| 10 | 131 | 25 | 327 | 40 | 523 |
| 11 | 144 | 26 | 340 | | |
| 12 | 157 | 27 | 353 | | |
| 13 | 170 | 28 | 366 | | |
| 14 | 183 | 29 | 379 | | |

1,000 Gallon Capacity

84" x 42"

Hopper Series



| In. | Ga. | In. | Ga. |
|-----------|-----|-----------|------|
| 1 | 24 | 31 | 744 |
| 2 | 48 | 32 | 768 |
| 3 | 72 | 33 | 792 |
| 4 | 96 | 34 | 816 |
| 5 | 120 | 35 | 840 |
| 6 | 144 | 36 | 864 |
| 7 | 168 | 37 | 888 |
| 8 | 192 | 38 | 912 |
| 9 | 216 | 39 | 936 |
| 10 | 240 | 40 | 960 |
| 11 | 264 | 41 | 984 |
| 12 | 288 | 42 | 1008 |
| 13 | 312 | | |
| 14 | 336 | | |
| 15 | 360 | | |
| 16 | 384 | | |
| 17 | 408 | | |
| 18 | 432 | | |
| 19 | 456 | | |
| 20 | 480 | | |
| 21 | 504 | | |
| 22 | 528 | | |
| 23 | 552 | | |
| 24 | 576 | | |
| 25 | 600 | | |
| 26 | 624 | | |
| 27 | 648 | | |
| 28 | 672 | | |
| 29 | 696 | | |
| 30 | 720 | | |

2,000 Gallon Capacity

108" x 51"

Hopper Series



| In. | Ga. | In. | Ga. |
|-----------|------|-----------|------|
| 1 | 40 | 31 | 1229 |
| 2 | 79 | 32 | 1269 |
| 3 | 119 | 33 | 1309 |
| 4 | 159 | 34 | 1348 |
| 5 | 198 | 35 | 1388 |
| 6 | 238 | 36 | 1428 |
| 7 | 278 | 37 | 1467 |
| 8 | 317 | 38 | 1507 |
| 9 | 357 | 39 | 1547 |
| 10 | 397 | 40 | 1586 |
| 11 | 436 | 41 | 1626 |
| 12 | 476 | 42 | 1666 |
| 13 | 516 | 43 | 1705 |
| 14 | 555 | 44 | 1745 |
| 15 | 595 | 45 | 1785 |
| 16 | 635 | 46 | 1824 |
| 17 | 674 | 47 | 1864 |
| 18 | 714 | 48 | 1903 |
| 19 | 753 | 49 | 1943 |
| 20 | 793 | 50 | 1983 |
| 21 | 833 | 51 | 2022 |
| 22 | 872 | | |
| 23 | 912 | | |
| 24 | 952 | | |
| 25 | 991 | | |
| 26 | 1031 | | |
| 27 | 1071 | | |
| 28 | 1110 | | |
| 29 | 1150 | | |
| 30 | 1190 | | |

128 Gallon Capacity

28" x 48"

Indoor Vertical



| In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|
| 1 | 3 | 31 | 83 |
| 2 | 5 | 32 | 85 |
| 3 | 8 | 33 | 88 |
| 4 | 11 | 34 | 91 |
| 5 | 13 | 35 | 93 |
| 6 | 16 | 36 | 96 |
| 7 | 19 | 37 | 99 |
| 8 | 21 | 38 | 101 |
| 9 | 24 | 39 | 104 |
| 10 | 27 | 40 | 107 |
| 11 | 29 | 41 | 109 |
| 12 | 32 | 42 | 112 |
| 13 | 35 | 43 | 115 |
| 14 | 37 | 44 | 117 |
| 15 | 40 | 45 | 120 |
| 16 | 43 | 46 | 123 |
| 17 | 45 | 47 | 125 |
| 18 | 48 | 48 | 128 |
| 19 | 51 | | |
| 20 | 53 | | |
| 21 | 56 | | |
| 22 | 59 | | |
| 23 | 61 | | |
| 24 | 64 | | |
| 25 | 67 | | |
| 26 | 69 | | |
| 27 | 72 | | |
| 28 | 75 | | |
| 29 | 77 | | |
| 30 | 80 | | |

160 Gallon Capacity

28" x 60"

Indoor Vertical



| In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|
| 1 | 3 | 31 | 83 |
| 2 | 5 | 32 | 85 |
| 3 | 8 | 33 | 88 |
| 4 | 11 | 34 | 91 |
| 5 | 13 | 35 | 93 |
| 6 | 16 | 36 | 96 |
| 7 | 19 | 37 | 99 |
| 8 | 21 | 38 | 101 |
| 9 | 24 | 39 | 104 |
| 10 | 27 | 40 | 107 |
| 11 | 29 | 41 | 109 |
| 12 | 32 | 42 | 112 |
| 13 | 35 | 43 | 115 |
| 14 | 37 | 44 | 117 |
| 15 | 40 | 45 | 120 |
| 16 | 43 | 46 | 123 |
| 17 | 45 | 47 | 125 |
| 18 | 48 | 48 | 128 |
| 19 | 51 | 49 | 131 |
| 20 | 53 | 50 | 133 |
| 21 | 56 | 51 | 136 |
| 22 | 59 | 52 | 139 |
| 23 | 61 | 53 | 141 |
| 24 | 64 | 54 | 144 |
| 25 | 67 | 55 | 147 |
| 26 | 69 | 56 | 149 |
| 27 | 72 | 57 | 152 |
| 28 | 75 | 58 | 155 |
| 29 | 77 | 59 | 157 |
| 30 | 80 | 60 | 160 |

192 Gallon Capacity

28" x 72"

Indoor Vertical



| In. | Ga. | In. | Ga. | In. | Ga. |
|------------|------------|------------|------------|------------|------------|
| 1 | 3 | 36 | 96 | 71 | 189 |
| 2 | 5 | 37 | 99 | 72 | 192 |
| 3 | 8 | 38 | 101 | | |
| 4 | 11 | 39 | 104 | | |
| 5 | 13 | 40 | 107 | | |
| 6 | 16 | 41 | 109 | | |
| 7 | 19 | 42 | 112 | | |
| 8 | 21 | 43 | 115 | | |
| 9 | 24 | 49 | 117 | | |
| 10 | 27 | 45 | 120 | | |
| 11 | 29 | 46 | 123 | | |
| 12 | 32 | 47 | 125 | | |
| 13 | 35 | 48 | 128 | | |
| 14 | 37 | 49 | 131 | | |
| 15 | 40 | 50 | 133 | | |
| 16 | 43 | 51 | 136 | | |
| 17 | 45 | 52 | 139 | | |
| 18 | 48 | 53 | 141 | | |
| 19 | 51 | 54 | 144 | | |
| 20 | 53 | 55 | 147 | | |
| 21 | 56 | 56 | 149 | | |
| 22 | 59 | 57 | 152 | | |
| 23 | 61 | 58 | 155 | | |
| 24 | 64 | 59 | 157 | | |
| 25 | 67 | 60 | 160 | | |
| 26 | 69 | 61 | 163 | | |
| 27 | 72 | 62 | 166 | | |
| 28 | 75 | 63 | 168 | | |
| 29 | 77 | 64 | 171 | | |
| 30 | 80 | 65 | 173 | | |
| 31 | 83 | 66 | 176 | | |
| 32 | 85 | 67 | 179 | | |
| 33 | 88 | 68 | 181 | | |
| 34 | 91 | 69 | 184 | | |
| 35 | 93 | 70 | 187 | | |

240 Gallon Capacity

38" x 4'0"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 2 | 16 | 94 | 31 | 206 |
| 2 | 5 | 17 | 102 | 32 | 212 |
| 3 | 9 | 18 | 110 | 33 | 217 |
| 4 | 13 | 19 | 118 | 34 | 222 |
| 5 | 18 | 20 | 126 | 35 | 227 |
| 6 | 24 | 21 | 134 | 36 | 231 |
| 7 | 30 | 22 | 141 | 37 | 234 |
| 8 | 36 | 23 | 149 | 38 | 236 |
| 9 | 43 | 24 | 157 | | |
| 10 | 50 | 25 | 164 | | |
| 11 | 57 | 26 | 172 | | |
| 12 | 64 | 27 | 179 | | |
| 13 | 71 | 28 | 186 | | |
| 14 | 79 | 29 | 193 | | |
| 15 | 87 | 30 | 200 | | |

300 Gallon Capacity

38" x 5'0"

Horizontal

| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|-----------|-----|
| 1 | 2 | 16 | 118 | 31 | 257 |
| 2 | 6 | 17 | 128 | 32 | 265 |
| 3 | 11 | 18 | 137 | 33 | 272 |
| 4 | 17 | 19 | 147 | 34 | 278 |
| 5 | 23 | 20 | 157 | 35 | 284 |
| 6 | 30 | 21 | 167 | 36 | 287 |
| 7 | 37 | 22 | 177 | 37 | 293 |
| 8 | 45 | 23 | 187 | 38 | 295 |
| 9 | 53 | 24 | 196 | | |
| 10 | 62 | 25 | 206 | | |
| 11 | 71 | 26 | 215 | | |
| 12 | 80 | 27 | 224 | | |
| 13 | 89 | 28 | 233 | | |
| 14 | 99 | 29 | 241 | | |
| 15 | 108 | 30 | 249 | | |

500 Gallon Capacity

48" x 5'5"

Horizontal



| In. | Ga. | In. | Ga. |
|-----------|-----|-----------|-----|
| 1 | 2 | 31 | 347 |
| 2 | 7 | 32 | 360 |
| 3 | 13 | 33 | 373 |
| 4 | 20 | 34 | 385 |
| 5 | 28 | 35 | 397 |
| 6 | 36 | 36 | 409 |
| 7 | 46 | 37 | 421 |
| 8 | 55 | 38 | 432 |
| 9 | 66 | 39 | 443 |
| 10 | 76 | 40 | 453 |
| 11 | 88 | 41 | 463 |
| 12 | 99 | 42 | 472 |
| 13 | 111 | 43 | 481 |
| 14 | 123 | 44 | 488 |
| 15 | 135 | 45 | 495 |
| 16 | 148 | 46 | 501 |
| 17 | 161 | 47 | 506 |
| 18 | 174 | 48 | 509 |
| 19 | 187 | | |
| 20 | 200 | | |
| 21 | 214 | | |
| 22 | 227 | | |
| 23 | 241 | | |
| 24 | 254 | | |
| 25 | 268 | | |
| 26 | 281 | | |
| 27 | 295 | | |
| 28 | 308 | | |
| 29 | 321 | | |
| 30 | 334 | | |

1,000 Gallon Capacity

48" x 10'9"

Horizontal



| In. | Ga. | In. | Ga. |
|-----------|-----|-----------|------|
| 1 | 5 | 31 | 683 |
| 2 | 14 | 32 | 709 |
| 3 | 26 | 33 | 733 |
| 4 | 40 | 34 | 757 |
| 5 | 55 | 35 | 781 |
| 6 | 72 | 36 | 804 |
| 7 | 90 | 37 | 827 |
| 8 | 110 | 38 | 849 |
| 9 | 130 | 39 | 870 |
| 10 | 151 | 40 | 890 |
| 11 | 173 | 41 | 910 |
| 12 | 196 | 42 | 928 |
| 13 | 219 | 43 | 945 |
| 14 | 243 | 44 | 960 |
| 15 | 267 | 45 | 974 |
| 16 | 291 | 46 | 986 |
| 17 | 317 | 47 | 995 |
| 18 | 342 | 48 | 1000 |
| 19 | 368 | | |
| 20 | 394 | | |
| 21 | 420 | | |
| 22 | 447 | | |
| 23 | 474 | | |
| 24 | 500 | | |
| 25 | 526 | | |
| 26 | 553 | | |
| 27 | 580 | | |
| 28 | 606 | | |
| 29 | 632 | | |
| 30 | 658 | | |

1,000 Gallon Capacity

64" x 6'0"

Horizontal



| In. | Ga. | In. | Ga. |
|-----------|-----|-----------|------|
| 1 | 3 | 36 | 581 |
| 2 | 10 | 37 | 601 |
| 3 | 17 | 38 | 620 |
| 4 | 26 | 39 | 640 |
| 5 | 36 | 40 | 659 |
| 6 | 48 | 41 | 679 |
| 7 | 60 | 42 | 698 |
| 8 | 72 | 43 | 716 |
| 9 | 86 | 44 | 735 |
| 10 | 100 | 45 | 753 |
| 11 | 115 | 46 | 771 |
| 12 | 130 | 47 | 789 |
| 13 | 146 | 48 | 807 |
| 14 | 162 | 49 | 824 |
| 15 | 179 | 50 | 841 |
| 16 | 196 | 51 | 857 |
| 17 | 214 | 52 | 873 |
| 18 | 231 | 53 | 888 |
| 19 | 249 | 54 | 903 |
| 20 | 268 | 55 | 917 |
| 21 | 286 | 56 | 930 |
| 22 | 305 | 57 | 943 |
| 23 | 324 | 58 | 955 |
| 24 | 343 | 59 | 966 |
| 25 | 362 | 60 | 977 |
| 26 | 382 | 61 | 986 |
| 27 | 402 | 62 | 993 |
| 28 | 422 | 63 | 999 |
| 29 | 442 | 64 | 1003 |
| 30 | 462 | | |
| 31 | 481 | | |
| 32 | 501 | | |
| 33 | 521 | | |
| 34 | 541 | | |
| 35 | 561 | | |

1,500 Gallon Capacity

64" x 9'0"

Horizontal



| In. | Ga. | In. | Ga. |
|-----------|-----|-----------|------|
| 1 | 5 | 36 | 872 |
| 2 | 14 | 37 | 901 |
| 3 | 25 | 38 | 930 |
| 4 | 38 | 39 | 959 |
| 5 | 54 | 40 | 988 |
| 6 | 71 | 41 | 1017 |
| 7 | 89 | 42 | 1046 |
| 8 | 108 | 43 | 1075 |
| 9 | 129 | 44 | 1102 |
| 10 | 150 | 45 | 1130 |
| 11 | 172 | 46 | 1157 |
| 12 | 195 | 47 | 1184 |
| 13 | 219 | 48 | 1210 |
| 14 | 243 | 49 | 1236 |
| 15 | 268 | 50 | 1261 |
| 16 | 294 | 51 | 1285 |
| 17 | 320 | 52 | 1309 |
| 18 | 347 | 53 | 1331 |
| 19 | 374 | 54 | 1353 |
| 20 | 401 | 55 | 1375 |
| 21 | 429 | 56 | 1395 |
| 22 | 458 | 57 | 1414 |
| 23 | 487 | 58 | 1433 |
| 24 | 516 | 59 | 1450 |
| 25 | 545 | 60 | 1466 |
| 26 | 574 | 61 | 1478 |
| 27 | 603 | 62 | 1490 |
| 28 | 632 | 63 | 1499 |
| 29 | 661 | 64 | 1500 |
| 30 | 690 | | |
| 31 | 720 | | |
| 32 | 752 | | |
| 33 | 784 | | |
| 34 | 814 | | |
| 35 | 843 | | |

2,000 Gallon Capacity

64" x 12'0"

Horizontal



| In. | Ga. | In. | Ga. |
|-----------|------|-----------|------|
| 1 | 7 | 36 | 1162 |
| 2 | 19 | 37 | 1202 |
| 3 | 34 | 38 | 1241 |
| 4 | 52 | 39 | 1281 |
| 5 | 73 | 40 | 1319 |
| 6 | 95 | 41 | 1358 |
| 7 | 119 | 42 | 1396 |
| 8 | 145 | 43 | 1433 |
| 9 | 172 | 44 | 1471 |
| 10 | 200 | 45 | 1507 |
| 11 | 230 | 46 | 1543 |
| 12 | 260 | 47 | 1579 |
| 13 | 292 | 48 | 1614 |
| 14 | 325 | 49 | 1648 |
| 15 | 358 | 50 | 1681 |
| 16 | 392 | 51 | 1714 |
| 17 | 427 | 52 | 1746 |
| 18 | 463 | 53 | 1776 |
| 19 | 499 | 54 | 1806 |
| 20 | 535 | 55 | 1834 |
| 21 | 573 | 56 | 1861 |
| 22 | 610 | 57 | 1887 |
| 23 | 648 | 58 | 1911 |
| 24 | 687 | 59 | 1933 |
| 25 | 725 | 60 | 1954 |
| 26 | 765 | 61 | 1972 |
| 27 | 804 | 62 | 1987 |
| 28 | 844 | 63 | 1999 |
| 29 | 883 | 64 | 2000 |
| 30 | 923 | | |
| 31 | 963 | | |
| 32 | 1003 | | |
| 33 | 1043 | | |
| 34 | 1083 | | |
| 35 | 1123 | | |

2,500 Gallon Capacity

64" x 15'0"

Horizontal



| In. | Ga. | In. | Ga. |
|-----------|------|-----------|------|
| 1 | 8 | 36 | 1446 |
| 2 | 23 | 37 | 1495 |
| 3 | 43 | 38 | 1544 |
| 4 | 65 | 39 | 1593 |
| 5 | 90 | 40 | 1641 |
| 6 | 118 | 41 | 1689 |
| 7 | 148 | 42 | 1736 |
| 8 | 180 | 43 | 1783 |
| 9 | 214 | 44 | 1830 |
| 10 | 249 | 45 | 1875 |
| 11 | 286 | 46 | 1920 |
| 12 | 324 | 47 | 1965 |
| 13 | 363 | 48 | 2008 |
| 14 | 404 | 49 | 2050 |
| 15 | 446 | 50 | 2092 |
| 16 | 488 | 51 | 2133 |
| 17 | 531 | 52 | 2172 |
| 18 | 576 | 53 | 2210 |
| 19 | 621 | 54 | 2247 |
| 20 | 666 | 55 | 2292 |
| 21 | 713 | 56 | 2316 |
| 22 | 760 | 57 | 2348 |
| 23 | 807 | 58 | 2378 |
| 24 | 855 | 59 | 2406 |
| 25 | 903 | 60 | 2431 |
| 26 | 952 | 61 | 2453 |
| 27 | 1001 | 62 | 2473 |
| 28 | 1050 | 63 | 2488 |
| 29 | 1100 | 64 | 2500 |
| 30 | 1149 | | |
| 31 | 1198 | | |
| 32 | 1248 | | |
| 33 | 1298 | | |
| 34 | 1347 | | |
| 35 | 1396 | | |

3,000 Gallon Capacity

64" x 18'0"

Horizontal



| In. | Ga. | In. | Ga. |
|-----------|------|-----------|------|
| 1 | 10 | 36 | 1738 |
| 2 | 28 | 37 | 1797 |
| 3 | 51 | 38 | 1856 |
| 4 | 78 | 39 | 1914 |
| 5 | 109 | 40 | 1972 |
| 6 | 142 | 41 | 2030 |
| 7 | 178 | 42 | 2086 |
| 8 | 217 | 43 | 2143 |
| 9 | 257 | 44 | 2199 |
| 10 | 300 | 45 | 2254 |
| 11 | 344 | 46 | 2308 |
| 12 | 390 | 47 | 2361 |
| 13 | 437 | 48 | 2413 |
| 14 | 486 | 49 | 2464 |
| 15 | 536 | 50 | 2514 |
| 16 | 587 | 51 | 2563 |
| 17 | 639 | 52 | 2610 |
| 18 | 692 | 53 | 2656 |
| 19 | 746 | 54 | 2700 |
| 20 | 801 | 55 | 2743 |
| 21 | 857 | 56 | 2783 |
| 22 | 914 | 57 | 2822 |
| 23 | 970 | 58 | 2858 |
| 24 | 1028 | 59 | 2891 |
| 25 | 1086 | 60 | 2922 |
| 26 | 1144 | 61 | 2949 |
| 27 | 1203 | 62 | 2972 |
| 28 | 1262 | 63 | 2990 |
| 29 | 1322 | 64 | 3000 |
| 30 | 1381 | | |
| 31 | 1441 | | |
| 32 | 1500 | | |
| 33 | 1559 | | |
| 34 | 1619 | | |
| 35 | 1678 | | |

4,000 Gallon Capacity

64" x 24'0"

Horizontal



| In. | Ga. | In. | Ga. |
|-----------|------|-----------|------|
| 1 | 13 | 36 | 2316 |
| 2 | 37 | 37 | 2394 |
| 3 | 68 | 38 | 2473 |
| 4 | 104 | 39 | 2551 |
| 5 | 145 | 40 | 2628 |
| 6 | 189 | 41 | 2705 |
| 7 | 237 | 42 | 2781 |
| 8 | 288 | 43 | 2856 |
| 9 | 342 | 44 | 2930 |
| 10 | 399 | 45 | 3003 |
| 11 | 458 | 46 | 3075 |
| 12 | 519 | 47 | 3146 |
| 13 | 582 | 48 | 3216 |
| 14 | 647 | 49 | 3284 |
| 15 | 713 | 50 | 3350 |
| 16 | 781 | 51 | 3415 |
| 17 | 851 | 52 | 3478 |
| 18 | 922 | 53 | 3539 |
| 19 | 994 | 54 | 3598 |
| 20 | 1067 | 55 | 3655 |
| 21 | 1141 | 56 | 3709 |
| 22 | 1216 | 57 | 3760 |
| 23 | 1292 | 58 | 3808 |
| 24 | 1369 | 59 | 3852 |
| 25 | 1446 | 60 | 3893 |
| 26 | 1524 | 61 | 3929 |
| 27 | 1603 | 62 | 3960 |
| 28 | 1681 | 63 | 3984 |
| 29 | 1760 | 64 | 4000 |
| 30 | 1840 | | |
| 31 | 1919 | | |
| 32 | 1998 | | |
| 33 | 2078 | | |
| 34 | 2157 | | |
| 35 | 2237 | | |

4,000 Gallon Capacity

72" x 19'0"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|------|-----------|------|
| 1 | 11 | 36 | 2009 | 71 | 4008 |
| 2 | 31 | 37 | 2080 | 72 | 4019 |
| 3 | 57 | 38 | 2151 | | |
| 4 | 88 | 39 | 2222 | | |
| 5 | 122 | 40 | 2293 | | |
| 6 | 160 | 41 | 2364 | | |
| 7 | 201 | 42 | 2434 | | |
| 8 | 244 | 43 | 2504 | | |
| 9 | 290 | 44 | 2573 | | |
| 10 | 338 | 45 | 2642 | | |
| 11 | 388 | 46 | 2711 | | |
| 12 | 440 | 47 | 2779 | | |
| 13 | 494 | 48 | 2846 | | |
| 14 | 550 | 49 | 2913 | | |
| 15 | 607 | 50 | 2979 | | |
| 16 | 665 | 51 | 3044 | | |
| 17 | 725 | 52 | 3108 | | |
| 18 | 786 | 53 | 3171 | | |
| 19 | 848 | 54 | 3233 | | |
| 20 | 911 | 55 | 3294 | | |
| 21 | 975 | 56 | 3354 | | |
| 22 | 1040 | 57 | 3412 | | |
| 23 | 1106 | 58 | 3469 | | |
| 24 | 1173 | 59 | 3525 | | |
| 25 | 1240 | 60 | 3578 | | |
| 26 | 1308 | 61 | 3630 | | |
| 27 | 1377 | 62 | 3681 | | |
| 28 | 1456 | 63 | 3729 | | |
| 29 | 1515 | 64 | 3775 | | |
| 30 | 1585 | 65 | 3818 | | |
| 31 | 1655 | 66 | 3859 | | |
| 32 | 1726 | 67 | 3896 | | |
| 33 | 1796 | 68 | 3931 | | |
| 34 | 1867 | 69 | 3961 | | |
| 35 | 1938 | 70 | 3987 | | |

4,000 Gallon Capacity

96" x 10'6"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|------|-----------|------|
| 1 | 7 | 36 | 1352 | 71 | 3131 |
| 2 | 20 | 37 | 1403 | 72 | 3176 |
| 3 | 37 | 38 | 1454 | 73 | 3221 |
| 4 | 56 | 39 | 1506 | 74 | 3266 |
| 5 | 78 | 40 | 1557 | 75 | 3309 |
| 6 | 103 | 41 | 1609 | 76 | 3352 |
| 7 | 129 | 42 | 1661 | 77 | 3394 |
| 8 | 157 | 43 | 1713 | 78 | 3436 |
| 9 | 187 | 44 | 1765 | 79 | 3476 |
| 10 | 218 | 45 | 1817 | 80 | 3516 |
| 11 | 251 | 46 | 1869 | 81 | 3554 |
| 12 | 285 | 47 | 1922 | 82 | 3592 |
| 13 | 320 | 48 | 1974 | 83 | 3628 |
| 14 | 357 | 49 | 2026 | 84 | 3663 |
| 15 | 394 | 50 | 2079 | 85 | 3697 |
| 16 | 433 | 51 | 2131 | 86 | 3730 |
| 17 | 472 | 52 | 2183 | 87 | 3761 |
| 18 | 513 | 53 | 2235 | 88 | 3791 |
| 19 | 554 | 54 | 2287 | 89 | 3819 |
| 20 | 596 | 55 | 2339 | 90 | 3845 |
| 21 | 639 | 56 | 2391 | 91 | 3870 |
| 22 | 683 | 57 | 2443 | 92 | 3892 |
| 23 | 727 | 58 | 2494 | 93 | 3911 |
| 24 | 772 | 59 | 2545 | 94 | 3928 |
| 25 | 818 | 60 | 2596 | 95 | 3941 |
| 26 | 864 | 61 | 2646 | 96 | 3948 |
| 27 | 911 | 62 | 2697 | | |
| 28 | 958 | 63 | 2747 | | |
| 29 | 1006 | 64 | 2796 | | |
| 30 | 1054 | 65 | 2845 | | |
| 31 | 1103 | 66 | 2894 | | |
| 32 | 1152 | 67 | 2942 | | |
| 33 | 1202 | 68 | 2990 | | |
| 34 | 1252 | 69 | 3038 | | |

5,000 Gallon Capacity

96" x 13'4"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|------|-----------|------|
| 1 | 9 | 36 | 1717 | 71 | 3975 |
| 2 | 25 | 37 | 1782 | 72 | 4033 |
| 3 | 47 | 38 | 1847 | 73 | 4091 |
| 4 | 70 | 39 | 1912 | 74 | 4147 |
| 5 | 100 | 40 | 1977 | 75 | 4202 |
| 6 | 130 | 41 | 2043 | 76 | 4257 |
| 7 | 164 | 42 | 2109 | 77 | 4310 |
| 8 | 200 | 43 | 2175 | 78 | 4363 |
| 9 | 237 | 44 | 2241 | 79 | 4414 |
| 10 | 277 | 45 | 2307 | 80 | 4464 |
| 11 | 319 | 46 | 2374 | 81 | 4513 |
| 12 | 362 | 47 | 2440 | 82 | 4561 |
| 13 | 406 | 48 | 2507 | 83 | 4607 |
| 14 | 453 | 49 | 2573 | 84 | 4652 |
| 15 | 500 | 50 | 2640 | 85 | 4695 |
| 16 | 549 | 51 | 2706 | 86 | 4736 |
| 17 | 599 | 52 | 2772 | 87 | 4776 |
| 18 | 651 | 53 | 2839 | 88 | 4814 |
| 19 | 703 | 54 | 2905 | 89 | 4850 |
| 20 | 757 | 55 | 2971 | 90 | 4883 |
| 21 | 811 | 56 | 3036 | 91 | 4914 |
| 22 | 861 | 57 | 3102 | 92 | 4942 |
| 23 | 923 | 58 | 3167 | 93 | 4967 |
| 24 | 980 | 59 | 3232 | 94 | 4988 |
| 25 | 1038 | 60 | 3296 | 95 | 5004 |
| 26 | 1097 | 61 | 3361 | 96 | 5013 |
| 27 | 1156 | 62 | 3424 | | |
| 28 | 1216 | 63 | 3488 | | |
| 29 | 1277 | 64 | 3551 | | |
| 30 | 1338 | 65 | 3613 | | |
| 31 | 1400 | 66 | 3675 | | |
| 32 | 1463 | 67 | 3736 | | |
| 33 | 1526 | 68 | 3797 | | |
| 34 | 1589 | 69 | 3857 | | |

5,000 Gallon Capacity

72" x 23'10"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|------|-----------|------|
| 1 | 29 | 36 | 2517 | 71 | 5005 |
| 2 | 57 | 37 | 2603 | 72 | 5033 |
| 3 | 86 | 38 | 2688 | | |
| 4 | 114 | 39 | 2774 | | |
| 5 | 143 | 40 | 2860 | | |
| 6 | 172 | 41 | 2946 | | |
| 7 | 200 | 42 | 3032 | | |
| 8 | 315 | 43 | 3146 | | |
| 9 | 372 | 44 | 3232 | | |
| 10 | 429 | 45 | 3318 | | |
| 11 | 486 | 46 | 3403 | | |
| 12 | 543 | 47 | 3489 | | |
| 13 | 629 | 48 | 3575 | | |
| 14 | 686 | 49 | 3632 | | |
| 15 | 772 | 50 | 3718 | | |
| 16 | 829 | 51 | 3804 | | |
| 17 | 915 | 52 | 3890 | | |
| 18 | 972 | 53 | 3975 | | |
| 19 | 1058 | 54 | 4061 | | |
| 20 | 1144 | 55 | 4118 | | |
| 21 | 1230 | 56 | 4204 | | |
| 22 | 1316 | 57 | 4261 | | |
| 23 | 1401 | 58 | 4347 | | |
| 24 | 1459 | 59 | 4404 | | |
| 25 | 1544 | 60 | 4490 | | |
| 26 | 1630 | 61 | 4547 | | |
| 27 | 1716 | 62 | 4605 | | |
| 28 | 1802 | 63 | 4662 | | |
| 29 | 1888 | 64 | 4719 | | |
| 30 | 2002 | 65 | 4776 | | |
| 31 | 2088 | 66 | 4833 | | |
| 32 | 2174 | 67 | 4891 | | |
| 33 | 2259 | 68 | 4919 | | |
| 34 | 2345 | 69 | 4948 | | |
| 35 | 2431 | 70 | 4976 | | |

6,000 Gallon Capacity

96" x 16'0"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|------|-----------|------|
| 1 | 11 | 36 | 2061 | 71 | 4770 |
| 2 | 30 | 37 | 2138 | 72 | 4840 |
| 3 | 56 | 38 | 2216 | 73 | 4909 |
| 4 | 86 | 39 | 2294 | 74 | 4976 |
| 5 | 120 | 40 | 2373 | 75 | 5043 |
| 6 | 156 | 41 | 2451 | 76 | 5108 |
| 7 | 197 | 42 | 2531 | 77 | 5172 |
| 8 | 240 | 43 | 2610 | 78 | 5235 |
| 9 | 285 | 44 | 2689 | 79 | 5297 |
| 10 | 332 | 45 | 2769 | 80 | 5357 |
| 11 | 382 | 46 | 2849 | 81 | 5416 |
| 12 | 434 | 47 | 2928 | 82 | 5473 |
| 13 | 488 | 48 | 3008 | 83 | 5528 |
| 14 | 543 | 49 | 3088 | 84 | 5582 |
| 15 | 600 | 50 | 3168 | 85 | 5634 |
| 16 | 659 | 51 | 3247 | 86 | 5684 |
| 17 | 719 | 52 | 3327 | 87 | 5731 |
| 18 | 781 | 53 | 3406 | 88 | 5777 |
| 19 | 844 | 54 | 3486 | 89 | 5819 |
| 20 | 908 | 55 | 3565 | 90 | 5860 |
| 21 | 973 | 56 | 3643 | 91 | 5897 |
| 22 | 1040 | 57 | 3722 | 92 | 5930 |
| 23 | 1108 | 58 | 3800 | 93 | 5960 |
| 24 | 1176 | 59 | 3878 | 94 | 5986 |
| 25 | 1246 | 60 | 3956 | 95 | 6005 |
| 26 | 1316 | 61 | 4033 | 96 | 6016 |
| 27 | 1388 | 62 | 4109 | | |
| 28 | 1459 | 63 | 4185 | | |
| 29 | 1533 | 64 | 4261 | | |
| 30 | 1606 | 65 | 4336 | | |
| 31 | 1681 | 66 | 4410 | | |
| 32 | 1755 | 67 | 4484 | | |
| 33 | 1831 | 68 | 4556 | | |
| 34 | 1907 | 69 | 4629 | | |

6,000 Gallon Capacity

72" x 28'8"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|------|-----------|------|
| 1 | 34 | 36 | 3027 | 71 | 6020 |
| 2 | 69 | 37 | 3130 | 72 | 6054 |
| 3 | 103 | 38 | 3234 | | |
| 4 | 138 | 39 | 3337 | | |
| 5 | 172 | 40 | 3440 | | |
| 6 | 206 | 41 | 3543 | | |
| 7 | 241 | 42 | 3646 | | |
| 8 | 378 | 43 | 3784 | | |
| 9 | 447 | 44 | 3887 | | |
| 10 | 516 | 45 | 3990 | | |
| 11 | 585 | 46 | 4094 | | |
| 12 | 654 | 47 | 4197 | | |
| 13 | 757 | 48 | 4300 | | |
| 14 | 826 | 49 | 4369 | | |
| 15 | 929 | 50 | 4472 | | |
| 16 | 998 | 51 | 4575 | | |
| 17 | 1101 | 52 | 4678 | | |
| 18 | 1170 | 53 | 4782 | | |
| 19 | 1273 | 54 | 4885 | | |
| 20 | 1376 | 55 | 4954 | | |
| 21 | 1479 | 56 | 5057 | | |
| 22 | 1582 | 57 | 5126 | | |
| 23 | 1686 | 58 | 5229 | | |
| 24 | 1754 | 59 | 5298 | | |
| 25 | 1858 | 60 | 5401 | | |
| 26 | 1961 | 61 | 5470 | | |
| 27 | 2064 | 62 | 5538 | | |
| 28 | 2167 | 63 | 5607 | | |
| 29 | 2270 | 64 | 5676 | | |
| 30 | 2408 | 65 | 5745 | | |
| 31 | 2511 | 66 | 5814 | | |
| 32 | 2641 | 67 | 5882 | | |
| 33 | 2718 | 68 | 5917 | | |
| 34 | 2821 | 69 | 5951 | | |
| 35 | 2924 | 70 | 5986 | | |

8,000 Gallon Capacity

120" x 14'0"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|------|------------|------|
| 1 | 11 | 41 | 2483 | 81 | 5907 |
| 2 | 30 | 42 | 2566 | 82 | 5989 |
| 3 | 55 | 43 | 2649 | 83 | 6070 |
| 4 | 84 | 44 | 2733 | 84 | 6150 |
| 5 | 117 | 45 | 2817 | 85 | 6230 |
| 6 | 154 | 46 | 2902 | 86 | 6309 |
| 7 | 193 | 47 | 2987 | 87 | 6387 |
| 8 | 236 | 48 | 3072 | 88 | 6464 |
| 9 | 280 | 49 | 3158 | 89 | 6541 |
| 10 | 327 | 50 | 3244 | 90 | 6617 |
| 11 | 377 | 51 | 3330 | 91 | 6692 |
| 12 | 428 | 52 | 3417 | 92 | 6767 |
| 13 | 481 | 53 | 3503 | 93 | 6840 |
| 14 | 537 | 54 | 3590 | 94 | 6912 |
| 15 | 593 | 55 | 3677 | 95 | 6984 |
| 16 | 652 | 56 | 3764 | 96 | 7054 |
| 17 | 712 | 57 | 3851 | 97 | 7123 |
| 18 | 774 | 58 | 3938 | 98 | 7192 |
| 19 | 837 | 59 | 4025 | 99 | 7259 |
| 20 | 901 | 60 | 4113 | 100 | 7324 |
| 21 | 967 | 61 | 4200 | 101 | 7389 |
| 22 | 1034 | 62 | 4287 | 102 | 7452 |
| 23 | 1102 | 63 | 4374 | 103 | 7513 |
| 24 | 1171 | 64 | 4462 | 104 | 7573 |
| 25 | 1242 | 65 | 4549 | 105 | 7632 |
| 26 | 1313 | 66 | 4635 | 106 | 7689 |
| 27 | 1385 | 67 | 4722 | 107 | 7744 |
| 28 | 1459 | 68 | 4809 | 108 | 7797 |
| 29 | 1533 | 69 | 4895 | 109 | 7849 |
| 30 | 1608 | 70 | 4981 | 110 | 7898 |
| 31 | 1684 | 71 | 5067 | 111 | 7945 |
| 32 | 1761 | 72 | 5153 | 112 | 7990 |
| 33 | 1838 | 73 | 5238 | 113 | 8032 |
| 34 | 1917 | 74 | 5323 | 114 | 8072 |
| 35 | 1996 | 75 | 5408 | 115 | 8108 |
| 36 | 2075 | 76 | 5492 | 116 | 8141 |
| 37 | 2156 | 77 | 5576 | 117 | 8171 |
| 38 | 2237 | 78 | 5660 | 118 | 8195 |

8,000 Gallon Capacity

96" x 21'4"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|------|-----------|------|
| 1 | 15 | 41 | 3269 | 81 | 7221 |
| 2 | 41 | 42 | 3374 | 82 | 7297 |
| 3 | 74 | 43 | 3480 | 83 | 7371 |
| 4 | 114 | 44 | 3586 | 84 | 7443 |
| 5 | 159 | 45 | 3692 | 85 | 7512 |
| 6 | 209 | 46 | 3798 | 86 | 7578 |
| 7 | 262 | 47 | 3904 | 87 | 7642 |
| 8 | 319 | 48 | 4011 | 88 | 7702 |
| 9 | 380 | 49 | 4117 | 89 | 7759 |
| 10 | 443 | 50 | 4224 | 90 | 7813 |
| 11 | 510 | 51 | 4330 | 91 | 7862 |
| 12 | 579 | 52 | 4436 | 92 | 7907 |
| 13 | 650 | 53 | 4564 | 93 | 7947 |
| 14 | 724 | 54 | 4648 | 94 | 7981 |
| 15 | 800 | 55 | 4753 | 95 | 8007 |
| 16 | 879 | 56 | 4858 | 96 | 8021 |
| 17 | 959 | 57 | 4963 | | |
| 18 | 1041 | 58 | 5067 | | |
| 19 | 1125 | 59 | 5171 | | |
| 20 | 1211 | 60 | 5274 | | |
| 21 | 1298 | 61 | 5377 | | |
| 22 | 1387 | 62 | 5479 | | |
| 23 | 1477 | 63 | 5580 | | |
| 24 | 1568 | 64 | 5681 | | |
| 25 | 1661 | 65 | 5781 | | |
| 26 | 1755 | 66 | 5880 | | |
| 27 | 1850 | 67 | 5978 | | |
| 28 | 1946 | 68 | 6075 | | |
| 29 | 2043 | 69 | 6172 | | |
| 30 | 2142 | 70 | 6267 | | |
| 31 | 2241 | 71 | 6361 | | |
| 32 | 2341 | 72 | 6453 | | |
| 33 | 2441 | 73 | 6545 | | |
| 34 | 2543 | 74 | 6635 | | |
| 35 | 2645 | 75 | 6724 | | |
| 36 | 2747 | 76 | 6811 | | |
| 37 | 2851 | 77 | 6897 | | |
| 38 | 2955 | 78 | 6980 | | |
| 39 | 3059 | 79 | 7063 | | |

10,000 Gallon Capacity

120" x 17'0"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|------|------------|------|
| 1 | 13 | 41 | 3015 | 81 | 7173 |
| 2 | 36 | 42 | 3115 | 82 | 7272 |
| 3 | 66 | 43 | 3217 | 83 | 7370 |
| 4 | 102 | 44 | 3319 | 84 | 7468 |
| 5 | 142 | 45 | 3421 | 85 | 7564 |
| 6 | 187 | 46 | 3524 | 86 | 7660 |
| 7 | 235 | 47 | 3627 | 87 | 7755 |
| 8 | 286 | 48 | 3731 | 88 | 7850 |
| 9 | 340 | 49 | 3835 | 89 | 7943 |
| 10 | 397 | 50 | 3939 | 90 | 8035 |
| 11 | 457 | 51 | 4044 | 91 | 8127 |
| 12 | 520 | 52 | 4149 | 92 | 8217 |
| 13 | 584 | 53 | 4254 | 93 | 8306 |
| 14 | 651 | 54 | 4359 | 94 | 8394 |
| 15 | 721 | 55 | 4465 | 95 | 8480 |
| 16 | 792 | 56 | 4570 | 96 | 8566 |
| 17 | 865 | 57 | 4676 | 97 | 8650 |
| 18 | 939 | 58 | 4782 | 98 | 8733 |
| 19 | 1016 | 59 | 4888 | 99 | 8814 |
| 20 | 1094 | 60 | 4994 | 100 | 8894 |
| 21 | 1174 | 61 | 5100 | 101 | 8972 |
| 22 | 1255 | 62 | 5206 | 102 | 9048 |
| 23 | 1338 | 63 | 5312 | 103 | 9123 |
| 24 | 1422 | 64 | 5418 | 104 | 9196 |
| 25 | 1508 | 65 | 5523 | 105 | 9267 |
| 26 | 1594 | 66 | 5629 | 106 | 9336 |
| 27 | 1682 | 67 | 5734 | 107 | 9403 |
| 28 | 1771 | 68 | 5839 | 108 | 9468 |
| 29 | 1861 | 69 | 5944 | 109 | 9530 |
| 30 | 1953 | 70 | 6049 | 110 | 9590 |
| 31 | 2045 | 71 | 6153 | 111 | 9648 |
| 32 | 2138 | 72 | 6257 | 112 | 9702 |
| 33 | 2232 | 73 | 6361 | 113 | 9753 |
| 34 | 2327 | 74 | 6464 | 114 | 9801 |
| 35 | 2423 | 75 | 6567 | 115 | 9845 |
| 36 | 2520 | 76 | 6669 | 116 | 9886 |
| 37 | 2618 | 77 | 6771 | 117 | 9921 |
| 38 | 2716 | 78 | 6872 | 118 | 9951 |

10,000 Gallon Capacity

96" x 26'8"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|------|-----------|-------|
| 1 | 18 | 41 | 4086 | 81 | 9026 |
| 2 | 50 | 42 | 4218 | 82 | 9122 |
| 3 | 94 | 43 | 4350 | 83 | 9214 |
| 4 | 140 | 44 | 4482 | 84 | 9304 |
| 5 | 200 | 45 | 4614 | 85 | 9390 |
| 6 | 260 | 46 | 4748 | 86 | 9472 |
| 7 | 328 | 47 | 4880 | 87 | 9552 |
| 8 | 400 | 48 | 5014 | 88 | 9628 |
| 9 | 474 | 49 | 5146 | 89 | 9700 |
| 10 | 554 | 50 | 5280 | 90 | 9766 |
| 11 | 638 | 51 | 5412 | 91 | 9828 |
| 12 | 724 | 52 | 5544 | 92 | 9884 |
| 13 | 812 | 53 | 5678 | 93 | 9934 |
| 14 | 906 | 54 | 5810 | 94 | 9976 |
| 15 | 1000 | 55 | 5942 | 95 | 10008 |
| 16 | 1098 | 56 | 6072 | 96 | 10026 |
| 17 | 1198 | 57 | 6204 | | |
| 18 | 1302 | 58 | 6334 | | |
| 19 | 1406 | 59 | 6464 | | |
| 20 | 1514 | 60 | 6592 | | |
| 21 | 1622 | 61 | 6722 | | |
| 22 | 1722 | 62 | 6848 | | |
| 23 | 1846 | 63 | 6976 | | |
| 24 | 1960 | 64 | 7102 | | |
| 25 | 2076 | 65 | 7226 | | |
| 26 | 2194 | 66 | 7350 | | |
| 27 | 2312 | 67 | 7472 | | |
| 28 | 2432 | 68 | 7594 | | |
| 29 | 2554 | 69 | 7714 | | |
| 30 | 2676 | 70 | 7834 | | |
| 31 | 2800 | 71 | 7950 | | |
| 32 | 2926 | 72 | 8066 | | |
| 33 | 3052 | 73 | 8182 | | |
| 34 | 3178 | 74 | 8294 | | |
| 35 | 3306 | 75 | 8404 | | |
| 36 | 3434 | 76 | 8514 | | |
| 37 | 3564 | 77 | 8620 | | |
| 38 | 3694 | 78 | 8726 | | |
| 39 | 3824 | 79 | 8828 | | |

12,000 Gallon Capacity

120" x 20'6"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|------|------------|-------|
| 1 | 16 | 41 | 3635 | 81 | 8650 |
| 2 | 44 | 42 | 3757 | 82 | 8769 |
| 3 | 80 | 43 | 3879 | 83 | 8888 |
| 4 | 123 | 44 | 4002 | 84 | 9005 |
| 5 | 172 | 45 | 4125 | 85 | 9122 |
| 6 | 225 | 46 | 4249 | 86 | 9238 |
| 7 | 283 | 47 | 4374 | 87 | 9352 |
| 8 | 345 | 48 | 4499 | 88 | 9466 |
| 9 | 410 | 49 | 4624 | 89 | 9578 |
| 10 | 479 | 50 | 4750 | 90 | 9690 |
| 11 | 552 | 51 | 4876 | 91 | 9800 |
| 12 | 627 | 52 | 5003 | 92 | 9908 |
| 13 | 705 | 53 | 5130 | 93 | 10016 |
| 14 | 786 | 54 | 5257 | 94 | 10122 |
| 15 | 869 | 55 | 5384 | 95 | 10226 |
| 16 | 955 | 56 | 5511 | 96 | 10329 |
| 17 | 1043 | 57 | 5639 | 97 | 10431 |
| 18 | 1133 | 58 | 5766 | 98 | 10530 |
| 19 | 1225 | 59 | 5894 | 99 | 10628 |
| 20 | 1319 | 60 | 6022 | 100 | 10725 |
| 21 | 1416 | 61 | 6150 | 101 | 10819 |
| 22 | 1514 | 62 | 6278 | 102 | 10911 |
| 23 | 1613 | 63 | 6405 | 103 | 11002 |
| 24 | 1715 | 64 | 6533 | 104 | 11089 |
| 25 | 1818 | 65 | 6660 | 105 | 11175 |
| 26 | 1922 | 66 | 6788 | 106 | 11258 |
| 27 | 2028 | 67 | 6915 | 107 | 11339 |
| 28 | 2136 | 68 | 7041 | 108 | 11417 |
| 29 | 2245 | 69 | 7168 | 109 | 11493 |
| 30 | 2355 | 70 | 7294 | 110 | 11565 |
| 31 | 2466 | 71 | 7420 | 111 | 11634 |
| 32 | 2578 | 72 | 7545 | 112 | 11699 |
| 33 | 2692 | 73 | 7670 | 113 | 11761 |
| 34 | 2807 | 74 | 7795 | 114 | 11819 |
| 35 | 2922 | 75 | 7919 | 115 | 11872 |
| 36 | 3039 | 76 | 8042 | 116 | 11921 |
| 37 | 3157 | 77 | 8165 | 117 | 11964 |
| 38 | 3275 | 78 | 8287 | 118 | 12000 |

12,000 Gallon Capacity

96" x 32'0"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|-------|-----------|-------|
| 1 | 22 | 41 | 4903 | 81 | 10832 |
| 2 | 61 | 42 | 5061 | 82 | 10946 |
| 3 | 112 | 43 | 5220 | 83 | 11057 |
| 4 | 172 | 44 | 5379 | 84 | 11164 |
| 5 | 239 | 45 | 5538 | 85 | 11268 |
| 6 | 313 | 46 | 5697 | 86 | 11368 |
| 7 | 393 | 47 | 5856 | 87 | 11463 |
| 8 | 479 | 48 | 6016 | 88 | 11554 |
| 9 | 570 | 49 | 6176 | 89 | 11639 |
| 10 | 665 | 50 | 6336 | 90 | 11720 |
| 11 | 764 | 51 | 6495 | 91 | 11794 |
| 12 | 868 | 52 | 6654 | 92 | 11861 |
| 13 | 975 | 53 | 6813 | 93 | 11921 |
| 14 | 1086 | 54 | 6972 | 94 | 11972 |
| 15 | 1201 | 55 | 7130 | 95 | 12011 |
| 16 | 1318 | 56 | 7287 | 96 | 12033 |
| 17 | 1438 | 57 | 7444 | | |
| 18 | 1562 | 58 | 7601 | | |
| 19 | 1688 | 59 | 7756 | | |
| 20 | 1816 | 60 | 7911 | | |
| 21 | 1947 | 61 | 8066 | | |
| 22 | 2080 | 62 | 8219 | | |
| 23 | 2215 | 63 | 8371 | | |
| 24 | 2352 | 64 | 8522 | | |
| 25 | 2492 | 65 | 8672 | | |
| 26 | 2632 | 66 | 8820 | | |
| 27 | 2775 | 67 | 8967 | | |
| 28 | 2919 | 68 | 9113 | | |
| 29 | 3065 | 69 | 9258 | | |
| 30 | 3212 | 70 | 9400 | | |
| 31 | 3361 | 71 | 9541 | | |
| 32 | 3511 | 72 | 9680 | | |
| 33 | 3662 | 73 | 9818 | | |
| 34 | 3814 | 74 | 9953 | | |
| 35 | 3967 | 75 | 10086 | | |
| 36 | 4121 | 76 | 10217 | | |
| 37 | 4276 | 77 | 10345 | | |
| 38 | 4432 | 78 | 10471 | | |
| 39 | 4588 | 79 | 10594 | | |

15,000 Gallon Capacity

120" x 25'6"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|-------|------------|-------|
| 1 | 19 | 41 | 4522 | 81 | 10760 |
| 2 | 54 | 42 | 4673 | 82 | 10908 |
| 3 | 100 | 43 | 4825 | 83 | 11055 |
| 4 | 153 | 44 | 4978 | 84 | 11202 |
| 5 | 214 | 45 | 5132 | 85 | 11347 |
| 6 | 280 | 46 | 5286 | 86 | 11491 |
| 7 | 352 | 47 | 5441 | 87 | 11633 |
| 8 | 429 | 48 | 5596 | 88 | 11775 |
| 9 | 510 | 49 | 5752 | 89 | 11914 |
| 10 | 596 | 50 | 5909 | 90 | 12053 |
| 11 | 686 | 51 | 6066 | 91 | 12190 |
| 12 | 780 | 52 | 6223 | 92 | 12325 |
| 13 | 877 | 53 | 6381 | 93 | 12458 |
| 14 | 977 | 54 | 6539 | 94 | 12590 |
| 15 | 1081 | 55 | 6697 | 95 | 12720 |
| 16 | 1188 | 56 | 6856 | 96 | 12849 |
| 17 | 1297 | 57 | 7014 | 97 | 12975 |
| 18 | 1409 | 58 | 7173 | 98 | 13099 |
| 19 | 1524 | 59 | 7332 | 99 | 13221 |
| 20 | 1641 | 60 | 7491 | 100 | 13340 |
| 21 | 1761 | 61 | 7650 | 101 | 13458 |
| 22 | 1883 | 62 | 7809 | 102 | 13573 |
| 23 | 2007 | 63 | 7968 | 103 | 13685 |
| 24 | 2133 | 64 | 8126 | 104 | 13794 |
| 25 | 2261 | 65 | 8285 | 105 | 13901 |
| 26 | 2391 | 66 | 8443 | 106 | 14004 |
| 27 | 2523 | 67 | 8601 | 107 | 14105 |
| 28 | 2657 | 68 | 8759 | 108 | 14202 |
| 29 | 2792 | 69 | 8916 | 109 | 14296 |
| 30 | 2929 | 70 | 9073 | 110 | 14385 |
| 31 | 3067 | 71 | 9230 | 111 | 14471 |
| 32 | 3207 | 72 | 9386 | 112 | 14553 |
| 33 | 3349 | 73 | 9541 | 113 | 14630 |
| 34 | 3491 | 74 | 9696 | 114 | 14702 |
| 35 | 3635 | 75 | 9850 | 115 | 14768 |
| 36 | 3780 | 76 | 10004 | 116 | 14828 |
| 37 | 3926 | 77 | 10156 | 117 | 14882 |
| 38 | 4074 | 78 | 10309 | 118 | 14927 |

15,000 Gallon Capacity

96" x 40'0"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|-------|-----------|-------|
| 1 | 27 | 41 | 6129 | 81 | 13540 |
| 2 | 76 | 42 | 6327 | 82 | 13682 |
| 3 | 140 | 43 | 6525 | 83 | 13821 |
| 4 | 214 | 44 | 6723 | 84 | 13955 |
| 5 | 299 | 45 | 6922 | 85 | 14085 |
| <hr/> | | | | | |
| 6 | 391 | 46 | 7121 | 86 | 14209 |
| 7 | 492 | 47 | 7321 | 87 | 14329 |
| 8 | 599 | 48 | 7520 | 88 | 14442 |
| 9 | 712 | 49 | 7720 | 89 | 14549 |
| 10 | 831 | 50 | 7919 | 90 | 14649 |
| <hr/> | | | | | |
| 11 | 956 | 51 | 8118 | 91 | 14742 |
| 12 | 1085 | 52 | 8317 | 92 | 14826 |
| 13 | 1219 | 53 | 8516 | 93 | 14901 |
| 14 | 1358 | 54 | 8714 | 94 | 14964 |
| 15 | 1501 | 55 | 8912 | 95 | 15013 |
| <hr/> | | | | | |
| 16 | 1648 | 56 | 9109 | 96 | 15041 |
| 17 | 1798 | 57 | 9305 | | |
| 18 | 1952 | 58 | 9501 | | |
| 19 | 2110 | 59 | 9695 | | |
| 20 | 2270 | 60 | 9889 | | |
| <hr/> | | | | | |
| 21 | 2434 | 61 | 10081 | | |
| 22 | 2600 | 62 | 10273 | | |
| 23 | 2769 | 63 | 10463 | | |
| 24 | 2940 | 64 | 10652 | | |
| 25 | 3114 | 65 | 10839 | | |
| <hr/> | | | | | |
| 26 | 3291 | 66 | 11025 | | |
| 27 | 3469 | 67 | 11209 | | |
| 28 | 3649 | 68 | 11391 | | |
| 29 | 3832 | 69 | 11572 | | |
| 30 | 4016 | 70 | 11750 | | |
| <hr/> | | | | | |
| 31 | 4201 | 71 | 11926 | | |
| 32 | 4389 | 72 | 12100 | | |
| 33 | 4578 | 73 | 12272 | | |
| 34 | 4768 | 74 | 12441 | | |
| 35 | 4959 | 75 | 12607 | | |
| <hr/> | | | | | |
| 36 | 5152 | 76 | 12770 | | |
| 37 | 5345 | 77 | 12931 | | |
| 38 | 5540 | 78 | 13088 | | |
| 39 | 5736 | 79 | 13242 | | |

20,000 Gallon Capacity

120" x 34'0"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|-------|------------|-------|
| 1 | 26 | 46 | 7048 | 91 | 16253 |
| 2 | 73 | 47 | 7254 | 92 | 16433 |
| 3 | 133 | 48 | 7462 | 93 | 16611 |
| 4 | 204 | 49 | 7670 | 94 | 16787 |
| 5 | 285 | 50 | 7878 | 95 | 16961 |
| 6 | 373 | 51 | 8087 | 96 | 17131 |
| 7 | 469 | 52 | 8297 | 97 | 17300 |
| 8 | 572 | 53 | 8508 | 98 | 17465 |
| 9 | 681 | 54 | 8718 | 99 | 17628 |
| 10 | 795 | 55 | 8929 | 100 | 17787 |
| 11 | 915 | 56 | 9141 | 101 | 17944 |
| 12 | 1040 | 57 | 9352 | 102 | 18097 |
| 13 | 1169 | 58 | 9564 | 103 | 18246 |
| 14 | 1303 | 59 | 9776 | 104 | 18392 |
| 15 | 1441 | 60 | 9988 | 105 | 18535 |
| 16 | 1583 | 61 | 10200 | 106 | 18673 |
| 17 | 1730 | 62 | 10412 | 107 | 18806 |
| 18 | 1879 | 63 | 10624 | 108 | 18936 |
| 19 | 2032 | 64 | 10835 | 109 | 19061 |
| 20 | 2189 | 65 | 11046 | 110 | 19180 |
| 21 | 2348 | 66 | 11258 | 111 | 19295 |
| 22 | 2510 | 67 | 11468 | 112 | 19404 |
| 23 | 2676 | 68 | 11678 | 113 | 19506 |
| 24 | 2844 | 69 | 11888 | 114 | 19602 |
| 25 | 3015 | 70 | 12098 | 115 | 19691 |
| 26 | 3189 | 71 | 12306 | 116 | 19771 |
| 27 | 3364 | 72 | 12514 | 117 | 19843 |
| 28 | 3542 | 73 | 12721 | 118 | 19903 |
| 29 | 3723 | 74 | 12928 | 119 | 19950 |
| 30 | 3905 | 75 | 13134 | 120 | 19976 |
| 31 | 4090 | 76 | 13338 | | |
| 32 | 4276 | 77 | 13542 | | |
| 33 | 4465 | 78 | 13745 | | |
| 34 | 4655 | 79 | 13947 | | |
| 35 | 4847 | 80 | 14147 | | |
| 36 | 5040 | 81 | 14346 | | |
| 37 | 5235 | 82 | 14544 | | |
| 38 | 5432 | 83 | 14741 | | |
| 39 | 5630 | 84 | 14936 | | |
| 40 | 5829 | 85 | 15129 | | |
| 41 | 6029 | 86 | 15321 | | |
| 42 | 6231 | 87 | 15511 | | |
| 43 | 6433 | 88 | 15699 | | |
| 44 | 6637 | 89 | 15886 | | |
| 45 | 6842 | 90 | 16070 | | |

20,000 Gallon Capacity

126" x 31'0"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|-------|------------|-------|
| 1 | 24 | 46 | 6633 | 91 | 15528 |
| 2 | 68 | 47 | 6829 | 92 | 15709 |
| 3 | 124 | 48 | 7025 | 93 | 15887 |
| 4 | 191 | 49 | 7223 | 94 | 16066 |
| 5 | 266 | 50 | 7421 | 95 | 16242 |
| 6 | 349 | 51 | 7620 | 96 | 16416 |
| 7 | 439 | 52 | 7819 | 97 | 16587 |
| 8 | 535 | 53 | 8020 | 98 | 16757 |
| 9 | 636 | 54 | 8220 | 99 | 16925 |
| 10 | 744 | 55 | 8421 | 100 | 17090 |
| 11 | 856 | 56 | 8623 | 101 | 17253 |
| 12 | 973 | 57 | 8824 | 102 | 17414 |
| 13 | 1094 | 58 | 9027 | 103 | 17572 |
| 14 | 1220 | 59 | 9229 | 104 | 17727 |
| 15 | 1349 | 60 | 9431 | 105 | 17880 |
| 16 | 1482 | 61 | 9634 | 106 | 18030 |
| 17 | 1619 | 62 | 9837 | 107 | 18177 |
| 18 | 1760 | 63 | 10040 | 108 | 18320 |
| 19 | 1903 | 64 | 10243 | 109 | 18461 |
| 20 | 2050 | 65 | 10446 | 110 | 18597 |
| 21 | 2200 | 66 | 10649 | 111 | 18731 |
| 22 | 2353 | 67 | 10851 | 112 | 18860 |
| 23 | 2508 | 68 | 11053 | 113 | 18986 |
| 24 | 2666 | 69 | 11256 | 114 | 19107 |
| 25 | 2826 | 70 | 11457 | 115 | 19224 |
| 26 | 2990 | 71 | 11659 | 116 | 19336 |
| 27 | 3155 | 72 | 11860 | 117 | 19443 |
| 28 | 3323 | 73 | 12060 | 118 | 19545 |
| 29 | 3492 | 74 | 12260 | 119 | 19641 |
| 30 | 3664 | 75 | 12460 | 120 | 19731 |
| 31 | 3838 | 76 | 12659 | 121 | 19813 |
| 32 | 4014 | 77 | 12857 | 122 | 19889 |
| 33 | 4192 | 78 | 13055 | 123 | 19956 |
| 34 | 4371 | 79 | 13251 | 124 | 20002 |
| 35 | 4551 | 80 | 13447 | 125 | 20056 |
| 36 | 4734 | 81 | 13642 | 126 | 20080 |
| 37 | 4918 | 82 | 13836 | | |
| 38 | 5104 | 83 | 14029 | | |
| 39 | 5291 | 84 | 14221 | | |
| 40 | 5479 | 85 | 14411 | | |
| 41 | 5669 | 86 | 14601 | | |
| 42 | 5859 | 87 | 14789 | | |
| 43 | 6051 | 88 | 14976 | | |
| 44 | 6244 | 89 | 15162 | | |
| 45 | 6437 | 90 | 15346 | | |

25,000 Gallon Capacity

126" x 38'9"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|-------|------------|-------|
| 1 | 30 | 46 | 8291 | 91 | 19410 |
| 2 | 85 | 47 | 8536 | 92 | 19636 |
| 3 | 155 | 48 | 8782 | 93 | 19859 |
| 4 | 239 | 49 | 9028 | 94 | 20082 |
| 5 | 330 | 50 | 9276 | 95 | 20302 |
| 6 | 437 | 51 | 9525 | 96 | 20520 |
| 7 | 549 | 52 | 9774 | 97 | 20734 |
| 8 | 669 | 53 | 10024 | 98 | 20946 |
| 9 | 796 | 54 | 10275 | 99 | 21156 |
| 10 | 930 | 55 | 10526 | 100 | 21363 |
| 11 | 1070 | 56 | 10778 | 101 | 21567 |
| 12 | 1211 | 57 | 11030 | 102 | 21767 |
| 13 | 1368 | 58 | 11283 | 103 | 21965 |
| 14 | 1525 | 59 | 11536 | 104 | 22159 |
| 15 | 1687 | 60 | 11789 | 105 | 22350 |
| 16 | 1853 | 61 | 12043 | 106 | 22537 |
| 17 | 2024 | 62 | 12296 | 107 | 22721 |
| 18 | 2199 | 63 | 12550 | 108 | 22900 |
| 19 | 2379 | 64 | 12803 | 109 | 23076 |
| 20 | 2563 | 65 | 13057 | 110 | 23247 |
| 21 | 2750 | 66 | 13311 | 111 | 23413 |
| 22 | 2941 | 67 | 13564 | 112 | 23575 |
| 23 | 3135 | 68 | 13817 | 113 | 23732 |
| 24 | 3333 | 69 | 14070 | 114 | 23884 |
| 25 | 3533 | 70 | 14332 | 115 | 24030 |
| 26 | 3737 | 71 | 14574 | 116 | 24170 |
| 27 | 3944 | 72 | 14825 | 117 | 24304 |
| 28 | 4153 | 73 | 15075 | 118 | 24431 |
| 29 | 4365 | 74 | 15325 | 119 | 24551 |
| 30 | 4580 | 75 | 15575 | 120 | 24663 |
| 31 | 4797 | 76 | 15823 | 121 | 24767 |
| 32 | 5017 | 77 | 16071 | 122 | 24861 |
| 33 | 5241 | 78 | 16318 | 123 | 24944 |
| 34 | 5463 | 79 | 16564 | 124 | 25003 |
| 35 | 5689 | 80 | 16809 | 125 | 25070 |
| 36 | 5918 | 81 | 17052 | 126 | 25100 |
| 37 | 6148 | 82 | 17295 | | |
| 38 | 6380 | 83 | 17536 | | |
| 39 | 6613 | 84 | 17776 | | |
| 40 | 6849 | 85 | 18014 | | |
| 41 | 7086 | 86 | 18251 | | |
| 42 | 7324 | 87 | 18487 | | |
| 43 | 7564 | 88 | 18720 | | |
| 44 | 7805 | 89 | 18952 | | |
| 45 | 8047 | 90 | 19182 | | |

30,000 Gallon Capacity

126" x 46'6"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|------|-----------|-------|------------|-------|
| 1 | 36 | 46 | 9949 | 91 | 23293 |
| 2 | 102 | 47 | 10243 | 92 | 23564 |
| 3 | 186 | 48 | 10538 | 93 | 23831 |
| 4 | 286 | 49 | 10884 | 94 | 24099 |
| 5 | 400 | 50 | 11132 | 95 | 24363 |
| 6 | 524 | 51 | 11430 | 96 | 24623 |
| 7 | 658 | 52 | 11729 | 97 | 24881 |
| 8 | 802 | 53 | 12029 | 98 | 25136 |
| 9 | 955 | 54 | 12330 | 99 | 25387 |
| 10 | 1115 | 55 | 12631 | 100 | 25635 |
| 11 | 1284 | 56 | 12934 | 101 | 25880 |
| 12 | 1459 | 57 | 13236 | 102 | 26121 |
| 13 | 1641 | 58 | 13540 | 103 | 26358 |
| 14 | 1830 | 59 | 13843 | 104 | 26591 |
| 15 | 2024 | 60 | 14147 | 105 | 26820 |
| 16 | 2224 | 61 | 14451 | 106 | 27045 |
| 17 | 2429 | 62 | 14756 | 107 | 27265 |
| 18 | 2639 | 63 | 15060 | 108 | 27480 |
| 19 | 2855 | 64 | 15364 | 109 | 27691 |
| 20 | 3075 | 65 | 15669 | 110 | 27896 |
| 21 | 3299 | 66 | 15973 | 111 | 28096 |
| 22 | 3529 | 67 | 16276 | 112 | 28290 |
| 23 | 3762 | 68 | 16580 | 113 | 28479 |
| 24 | 3999 | 69 | 16883 | 114 | 28661 |
| 25 | 4240 | 70 | 17186 | 115 | 28836 |
| 26 | 4485 | 71 | 17488 | 116 | 29004 |
| 27 | 4732 | 72 | 17790 | 117 | 29165 |
| 28 | 4984 | 73 | 18090 | 118 | 29317 |
| 29 | 5239 | 74 | 18391 | 119 | 29461 |
| 30 | 5496 | 75 | 18690 | 120 | 29596 |
| 31 | 5757 | 76 | 18988 | 121 | 29720 |
| 32 | 6021 | 77 | 19286 | 122 | 29833 |
| 33 | 6289 | 78 | 19582 | 123 | 29933 |
| 34 | 6556 | 79 | 19877 | 124 | 30003 |
| 35 | 6827 | 80 | 20171 | 125 | 30083 |
| 36 | 7101 | 81 | 20463 | 126 | 30120 |
| 37 | 7377 | 82 | 20754 | | |
| 38 | 7656 | 83 | 21043 | | |
| 39 | 7936 | 84 | 21331 | | |
| 40 | 8218 | 85 | 21617 | | |
| 41 | 8503 | 86 | 21902 | | |
| 42 | 8789 | 87 | 22184 | | |
| 43 | 9076 | 88 | 22464 | | |
| 44 | 9366 | 89 | 22742 | | |
| 45 | 9657 | 90 | 23019 | | |

40,000 Gallon Capacity

144" x 47'6"

Horizontal



| In. | Ga. | In. | Ga. | In. | Ga. |
|-----------|-------|------------|-------|------------|-------|
| 1 | 39 | 51 | 12739 | 101 | 30112 |
| 2 | 111 | 52 | 13079 | 102 | 30436 |
| 3 | 204 | 53 | 13421 | 103 | 30758 |
| 4 | 313 | 54 | 13765 | 104 | 31077 |
| 5 | 437 | 55 | 14109 | 105 | 31394 |
| 6 | 573 | 56 | 14455 | 106 | 31709 |
| 7 | 720 | 57 | 14802 | 107 | 32021 |
| 8 | 878 | 58 | 15150 | 108 | 32330 |
| 9 | 1046 | 59 | 15499 | 109 | 32636 |
| 10 | 1222 | 60 | 15849 | 110 | 32939 |
| 11 | 1407 | 61 | 16200 | 111 | 33240 |
| 12 | 1600 | 62 | 16551 | 112 | 33537 |
| 13 | 1800 | 63 | 16904 | 113 | 33831 |
| 14 | 2007 | 64 | 17256 | 114 | 34121 |
| 15 | 2221 | 65 | 17610 | 115 | 34408 |
| 16 | 2441 | 66 | 17964 | 116 | 34691 |
| 17 | 2667 | 67 | 18318 | 117 | 34970 |
| 18 | 2899 | 68 | 18673 | 118 | 35246 |
| 19 | 3137 | 69 | 19028 | 119 | 35517 |
| 20 | 3380 | 70 | 19383 | 120 | 35784 |
| 21 | 3629 | 71 | 19738 | 121 | 36046 |
| 22 | 3882 | 72 | 20093 | 122 | 36305 |
| 23 | 4140 | 73 | 20449 | 123 | 36558 |
| 24 | 4402 | 74 | 20804 | 124 | 36806 |
| 25 | 4670 | 75 | 21159 | 125 | 37049 |
| 26 | 4941 | 76 | 21514 | 126 | 37287 |
| 27 | 5216 | 77 | 21868 | 127 | 37519 |
| 28 | 5495 | 78 | 22223 | 128 | 37746 |
| 29 | 5779 | 79 | 22577 | 129 | 37966 |
| 30 | 6065 | 80 | 22930 | 130 | 38180 |
| 31 | 6356 | 81 | 23283 | 131 | 38387 |
| 32 | 6650 | 82 | 23635 | 132 | 38587 |
| 33 | 6947 | 83 | 23986 | 133 | 38779 |
| 34 | 7247 | 84 | 24337 | 134 | 38964 |
| 35 | 7550 | 85 | 24687 | 135 | 39141 |
| 36 | 7857 | 86 | 25036 | 136 | 39308 |
| 37 | 8166 | 87 | 25384 | 137 | 39466 |
| 38 | 8478 | 88 | 25731 | 138 | 39613 |
| 39 | 8792 | 89 | 26077 | 139 | 39750 |
| 40 | 9109 | 90 | 26422 | 140 | 39873 |
| 41 | 9429 | 91 | 26765 | 141 | 39982 |
| 42 | 9750 | 92 | 27107 | 142 | 40075 |
| 43 | 10075 | 93 | 27448 | 143 | 40147 |
| 44 | 10401 | 94 | 27787 | 144 | 40186 |
| 45 | 10729 | 95 | 28124 | | |
| 46 | 11060 | 96 | 28460 | | |
| 47 | 11392 | 97 | 28794 | | |
| 48 | 11726 | 98 | 29127 | | |
| 49 | 12062 | 99 | 29457 | | |
| 50 | 12399 | 100 | 29785 | | |



Volume and Area Formulas




Formulas for Cylinders (closed end)

Surface Area in (sq. in.) or (sq. ft.)

- $A = 2(\pi RL) + 2(\pi R^2)$

Volume in (cu. in.) or (cu. ft.)

- $V = \pi R^2 L$




Formulas for Conical Shapes

Surface Area in (sq. in.) or (sq. ft.)

- $A = \pi R\sqrt{R^2 + H^2}$

Volume in (cu. in.) or (cu. ft.)

- $V = \frac{1}{3}\pi R^2 H$




Formulas for Rectangular Shapes

Surface Area in (sq. in.) or (sq. ft.)

- $A = 2(W \times H) + 2(L \times H) + 2(L \times W)$

Volume in (cu. in.) or (cu. ft.)

- $V = L \times W \times H$












Cubic Volume to Gallons

$V = \text{Volume in (cu. ft.)} \times 7.48$

$V = \text{Volume in (cu. in.)} / 1728 \times 7.48$

U.S. Standard Gauge



| Gauge | Size | Thickness | Decimal |
|-------|---|-------------------|---------|
| 000 |  | $\frac{1}{2}$ " | .5000 |
| 00 |  | $\frac{3}{8}$ " | .3750 |
| 0 |  | $\frac{5}{16}$ " | .3125 |
| 3 |  | $\frac{1}{4}$ " | .2500 |
| 7 |  | $\frac{3}{16}$ " | .1875 |
| 8 |  | $\frac{11}{64}$ " | .1718 |
| 10 |  | $\frac{9}{64}$ " | .1406 |
| 12 |  | $\frac{7}{64}$ " | .1093 |
| 14 |  | $\frac{5}{64}$ " | .0781 |



Highland Tank

**America's leading producer
of pre-engineered steel storage tanks.**

Stoystown, PA 15563
(814) 893-5701

Manheim, PA 17545
(717) 664-0600

Watervliet, NY 12189
(518) 273-0801

Lebanon, PA 17042
(717) 664-0602

Greensboro, NC
(336) 218-0801

Friedens, PA 15541
(814) 443-6800

M E M B E R



**Steel
Tank
Institute**