

	GENERAL SPECIFICATIONS QUANTITY: ONE (1) MODEL: MOI-35 SO MAXIMUM FLOW RATE: 35 GPM STATIC CAPACITY: 74.7 GALLONS OIL STORAGE CAPACITY: 50 GALLONS TYPE: SINGLE WALL, UNDERGROUND MATERIAL: 10 GA CARBON STEEL CONTINUOUS WELD INTERIOR AND EXTERIOR SEAMS SURFACE PREP: SSPC-SP 10 BLAST ALL SURFACES INT. & EXT. COATING: CHEMLINE 2240 – 15 MILS DFT
	NOTES STANDARD TANK MATERIAL IS COATED CARBON STEEL – STAINLESS STEEL CONSTRUCTION IS OPTIONAL STANDARD TANK LID IS RATED FOR PEDESTRIANS ONLY –
	H-20 TRAFFIC RATED LIDS ARE OPTIONAL DRAWING SHOWS <u>STANDARD</u> TANK HEIGHT DIMENSION FROM INLET/OUTLET FITTINGS TO FINISHED FLOOR –
ARM DDSE	CUSTOMER MUST SPECIFY HEIGHT DIMENSION MODIFICATIONS NEEDED TO MEET PROJECT PLUMBING REQUIREMENTS
ET AND DUTLET	
2″ FNPT VENT	CUSTOMER APPROVAL
5 <u>1</u> ″	THE CUSTOMER HAS REVIEWED THIS DRAWING AND VERIFIED THE ACCURACY OF ALL INFORMATION AND DIMENSIONS.
	SIGNED
	DATE:
	NDTE: ALL RIGHTS RESERVED. THIS DRAWING, DR ANY PART THEREDF, MUST NDT BE REPRIDUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM HIGHLAND TANK. UNLESS DTHERVISE NOTED, HIGHLAND TANK SHALL BE RESPONSIBLE DNLY FOR ITEMS INDICATED ON THIS FABRICATION DRAWING. THE CUSTIMER IS RESPONSIBLE FOR VERIFYING THE CORRECTNESS OF THE TYPE, SIZE, AND LOCATION OF ALL FITTINGS, ACCESSORIES, AND COATINGS SHOWN ON THIS DRAWING.
	Highland Tank [®]
	Manual oil interceptor MOI-35 SO
	CUSTOMER: PROJECT:
	QUOTE NO.:
DIMENSION TOLERANCE: ± 1"	<u> NTS 2/14/25 MGS MOI—35 SO</u>