

GENERAL SPECIFICATIONS QUANTITY: ONE (1) MODEL: MGI-1000 STATIC CAPACITY: 1,039 GALLONS GREASE HOLDING CAPACITY: 2,000 LBS TYPE: SINGLE WALL, UNDERGROUND MATERIAL: 7 GA CARBON STEEL CONTINUOUS WELD INTERIOR AND EXTERIOR SEAMS SURFACE PREP: SSPC-SP 10 BLAST ALL SURFACES INT. & EXT. COATING: CHEMLINE 2240 - 15 MILS DFT NOTES STANDARD TANK MATERIAL IS COATED CARBON STEEL -STAINLESS STEEL CONSTRUCTION IS OPTIONAL DRAWING SHOWS STANDARD TANK HEIGHT DIMENSION FROM INLET/OUTLET FITTINGS TO FINISHED FLOOR - CUSTOMER MUST SPECIFY HEIGHT DIMENSION MODIFICATIONS REQUIRED TO MEET PROJECT PLUMBING CONDITIONS STANDARD TANK LID IS RATED FOR PEDESTRIANS ONLY -H-20 TRAFFIC RATED LIDS ARE OPTIONAL CUSTOMER APPROVAL \_\_\_\_ THE CUSTOMER HAS REVIEWED THIS DRAWING AND VERIFIED THE ACCURACY OF ALL INFORMATION AND DIMENSIONS. SIGNED DATE: NDTE NLITE: ALL RIGHTS RESERVED. THIS DRAWING, DR ANY PART THEREDF, MUST NDT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM HIGHLAND TANK. UNLESS DITHERVISE NDIED, HIGHLAND TANK SHALL BE RESPONSIBLE DNLY FOR ITEMS INDICATED ON THIS FABRICATION DRAWING. THE CUSTDMER IS RESPONSIBLE FOR VERIFYING THE CORRECTNESS OF THE TYPE, SIZE, AND LOCATION OF ALL FITTINGS, ACCESSORIES, AND COATINGS SHOWN ON THIS DRAWING. Highland Tank<sup>®</sup> AFG C MANUAL GREASE INTERCEPTOR MGI-1000 CUSTOMER: PROJECT: QUOTE NO .: DIMENSION TOLERANCE: ± 1" NTS  $\frac{1}{7/7}$  MGS  $\frac{1}{1000}$  MGS  $\frac{1}{1000}$