

GENERAL SPECIFICATIONS

QUANTITY: DNE (1)
MDDEL: MGI-750N
MAXIMUM FLDW RATE: 750 GPM
STATIC WATER CAPACITY: 755 GAL
GREASE HOLDING CAPACITY: 1,500 LBS
MATERIAL: 7 GA CARBON STEEL
SINGLE-WALL CONSTRUCTION
SURFACE PREP: SSPC-SP 10 BLAST ALL
SURFACES

INTERIOR AND EXTERIOR COATING: CHEMTHANE 2240 POLYURETHANE - 15 MILS DFT

NOTES:

STANDARD TANK MATERIAL IS COATED CARBON STEEL - STAINLESS STEEL CONSTRUCTION IS AVAILABLE.

DRAWING SHOWS STANDARD TANK HEIGHT.

CUSTOMER MUST SPECIFY ACTUAL

HEIGHT DIMENSION REQUIRED.

ALL PLUMBING CONNECTIONS MUST COMPLY
WITH LOCAL CODES AND REGULATIONS.

CUSTOMER APPROVAL

THE CUSTOMER HAS REVIEWED THIS DRAWING AND VERIFIED THE ACCURACY OF ALL INFORMATION AND DIMENSIONS.

SIGNED:

DATE:

THIS DRAWING IS SUBJECT TO CHANGE AT THE DISCRETION OF THE MANUFACTURER. CONTACT HIGHLAND TANK FOR THE MOST UP-TO-DATE INFORMATION AND DRAWINGS OF DUR PRODUCTS.



MANUAL GREASE INTERCEPTOR

MGI-750N

CUSTOMER:

PROJECT:

QUOTE NO.:

E DATE: DVG. BY: DVG. ND: 7 F.C

DIMENSION TOLERANCE: ± 1' NTS | 2/12/18 MGS | MGI - 750 N