NOTE: ALL RIGHTS RESERVED. THIS DRAWING MUST NOT BE REPRODUCED IN ANY FORM WITHOUT THE WRITTEN PERMISSION OF HIGHLAND TANKE PART TO THE RESPONSIBLE ONLY FOR ITEMS INDICATED ON THIS FABRICATION DRAWING ONLESS OTHERWISE NOTED. CUSTOMER IS RESPONSIBLE FOR VERIFYING CORRECTIVESS OF SIZE AND LOCATION OF FITTINGS, ACCESSORIES, AND COATINGS SHOWN ON THIS DRAWING.

TOUCH UP OF FINISHED PAINT IS
REQUIRED BY INSTALLATION
CONTRACTOR. TOUCH UP PAINT SHIPPED
WITH TANK.

DESIGN DATA

CAPACITY - 3,000 GALLONS

TYPE - ABOVEGROUND CHLORINE CONTACT VESSEL

NO. REQ. - ____

MAX. ALLOW. WORKING PRES.— ___PSIG @ 140 °F MAX ALLOW. EXTERNAL W.P. - ___PSIG @ 140 °F MIN. DESIGN METAL TEMP - -20°F @ ___PSIG

HYDROSTATIC TEST PRESSURE - ___ PSIG

CORROSION ALLOWANCE- ___

POSTWELD HEAT TREATED - ____

RADIOGRAPHY - ____

HEADS - ___ SA516 GR 70 ASME 2:1 ELLIPTICAL SHELL - __ SA516 GR 70

INT. FINISH - SSPC, SP10 BLAST

HIGHDRO™ LINER PLUS FOR NSF/ANSI 61 POTABLE WATER

EXT. FINISH - GRAY SHOP PRIMER OR

OTHER TO BE SPECIFIED


CONSTRUCTION - BUTT WELD INSIDE AND OUTSIDE


ALL TANK FABRICATIONS TO BE IN ACCORDANCE WITH ASME SECTION VIII, DIVISION 1, LATEST EDITION, LATEST ADDENDA

ALL SHELL, HEAD, FITTINGS, AND MANWAYS TO BE WELDED TO BIGBEE STEEL WELD PROCEDURE PER DRAWING F11151

HIGHLAND TANK SERIAL # --







<u>LEGEND</u>						
MARK	SIZE	TYPE	RATING	NOZZLE	FLANGE	COMMENTS
Α	12" X 16"	ELLIPT.	300#	SA106 GR C		w/ NEOPRENE RUBBER GASKET
В		RFS0	150#	SA106 GR B	SA105	
С		HALF CPLG	3000#	SA105		

