## GENERAL SPECIFICATIONS

NO. REQ'D: (1)

CAPACITY: 9000 GALLONS

TYPE: RECTANGULAR, HTC, ABOVEGROUND, SINGLEWALL MATERIAL: MILD CARBON STEEL

FLOW RATE: 900 GPM

GAUGE:

SHELL- 1/4" HEADS- 1/4"

SURFACE PRÉP:

SSPC NO.10 BLAST ALL INTERIOR SURFACES


SSPC NO.6 BLAST ALL EXTERIOR SURFACES COATING: MATERIAL

THICKNESS EXTERIOR - FINISH PAINT WHITE (3 MILS)


INTERIOR - POLYURETHANE (15 MILS) CONSTRUCTION:

## BUTT FIT & WELD ALL CORNERS IN & OUT NOTES

- 1. ALL INTERNAL MATERIAL IS 10 GA
- 2. ALL DRAINS MUST SHIP W/ STEEL PLUGS INSTALLED
- 3. LIFTING LUGS HAVE REINFORCING PLATES




PLAN VIFW



END VIEW

NOTE: ALL RIGHTS RESERVED. THIS DRAWING OR ANY PART THEREOF MUST NOT BE REPRODUCED IN ANY FORM WITHOUT THE WRITTEN PERMISSION OF HIGHLAND TANK.
HIGHLAND TANK SHALL BE RESPONSIBLE ONLY FOR ITEMS INDICATED ON THIS FABRICATION DRAWING UNLESS OTHERWISE NOTED. CUSTOMER IS RESPONSIBLE FOR VERIFYING CORRECTINESS OF SIZE / LOCATION OF FITTINGS, ACCESSORIES & COATINGS SHOWN ON THIS DRAWING



**ELEVATION** 

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE + OR - 1"

## PROVIDED EQUIPMENT

- 1. 3"X3"X1/4" FLAT W/ 9/16"ø HOLE DRILLED IN CENTER (GROUNDING LUG)
- SEDIMENT CHAMBÉR
- 3. OIL WATER SEPARATOR CHAMBER
- 4. FNPT THREADED INLET
- 5. STEEL INLET ELBOW PIPING
- 6. VELOCITY HEAD DIFFUSION BAFFLE 10GA
- 7. WEAR PLATE 1/4"
- 8. REMOVABLE PARALLEL CORRUGATED PLATE COALESCER (CORELLA PVC PLATES) 1" PLATE SPACING 9. SLUDGE BAFFLE - 10GA
- 10. FLANGED PVC OUTLET DOWNCOMER PIPE
- 11. FNPT THREADED OUTLET W/ INTERNAL STEEL ELBOW AND FLANGE
- (6) PIECE COVER 7 GA
- 13. NÚTS & BOLTS W/ LARGE WING NUTS-TYP. (CORROSION RESISTANT)
- 14. GASKET MÁTERIAL (FOR EACH REMOVABLE COVER)
- 15. 3"ø FNPT (CLEAN-OUT)
- 16. 2"ø FNPT (VENT)
- 17. 2" FNPT HALF COUPLING (DRAIN) W/ STEEL PLUG
- 18. 3"ø FNPT FULL COUPLING W/ 3" ø ÍNTERNAL PVC PIPE (OIL PUMPOUT)
- 19. 2" FNPT HALF COUPLING (INTERFACE LEVEL SENSOR) 20. 7GA, CROSSMEMBER 9" WIDE FOR OIL PUMP-OUT AND LEVEL SENSOR FTG.
- 21. HANDLES PER H.T. STANDARD
- 22. 6" THICK PETROSCREEN COALESCER MATERIAL 23. 12"ø STEEL ELBOW W/ FLANGE WELDED TO TOP FOR PVC RISER PIPES
- 24. 12"ø ADJUSTABLE FERNCO COUPLING
- 25. LIFTING LUGS
- 26. 1"ø FNPT COUPLING W/ PLUG
- 27. 2"ø FNPT HALF COUPLING (HIGH WATER LEVEL SENSOR)

## REVISIONS



#6 606 224

U.S. Patent #4,722,800 Canadian Patent # 1,296,263

9000 GALLON DIL WATER SEPARATOR RECTANGULAR, HTC, SINGLE WALL

CUSTOMER:

PROJECT:

QUOTE NO:

CHK'D BY:

SCALE: DATE: 1/4"=1'-0" | 5-20-05 DWG BY-09000RECSWHTC