Built on Tradition







Rainwater Collection Tanks

HT-1130

HighDRO® Rainwater Collection Tanks (HD-RCT) are available for either aboveground or underground installations.


Whether of stainless steel or coated carbon steel construction, HD-RCT provide a renewable supply of water that can be used for a wide range of purposes.

Rainwater "Harvesting" In some areas, rainwater may represent the primary source of water. Collected rainwater can augment primary water sources, and it is a good standby in times of emergency, such as power outages, droughts or when the well goes dry. Highland Tank will provide turnkey rainwater harvesting systems. These complete systems are a key element to earning valuable LEED credits in a "green" building.

Applications

- Lawn and landscape irrigation
- Fire water supply
- · Laundry washing
- Toilet flushing
- Building power washing
- Industrial processing
- Pool filling
- Vehicle washing

Tank Sizing Guide



Volume	Nominal Dimensions	
Gallons	Diameter	Height
185	3'-2"	3'-4"
240	3'-2"	4'-0"
300	3'-2"	5'-0"
500	4'-0"	5'-5"
1,000	4'-0"	10'-9"
1,000	5'-4"	6'-0"
1,500	5'-4"	9'-0"
2,000	5'-4"	12'-0"
2,500	5'-4"	15'-0"
3,000	5'-4"	18'-0"
4,000	5'-4"	24'-0"
4,000	6'-0"	19'-0"
4,000	8'-0"	10'-8"
5,000	6'-0"	23'-10"
5,000	8'-0"	13'-4"
6,000	6'-0"	28'-8"
6,000	8'-0"	16'-0"
8,000	10'-0"	14'-0"
8,000	8'-0"	21'-4"
8,000	δ -0"	∠1 -4

Volume Gallons	Nominal Dimensions Diameter Height	
10,000	10'-0"	17'-0"
10,000	8'-0"	26'-8"
12,000	10'-0"	20'-6"
12,000	8'-0"	32'-0"
15,000	10'-0"	25'-6"
15,000	8'-0"	40'-0"
20,000	10'-0"	34'-0"
20,000	10'-6"	31'-0"
25,000	10'-0"	42'-6"
25,000	10'-6"	38'-9"
30,000	10'-0"	51'-2"
30,000	10'-6"	46'-6"
40,000	12'-0"	47'-6"
50,000	12'-0"	59'-6"
50,000	12'-6"	54'-6"
60,000	12'-0"	71'-0"
60,000	12'-6"	65'-5"
60,000	13'-0"	60'-6"
70,000	13'-0"	72'-0"

All Highland Tank storage tank drawings are available for viewing or downloading in PDF or AutoCAD DXF format at highlandtank.com



